


GF Silenta Premium pipe with single socket 90-3000mm

1146216

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta Premium pipe with single socket

Specification


- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta Premium pipe with single socket 90-3000mm

1146216

**Status**

Item Available From date

2026-02-01

Product code

Item no EAN 8698652132969

Item no GF 4401009005521

Item no GTIN 08698652132969

Item no VVS 186813300

Dimensions

Item Unit Height 90

Item Unit Length 3000

Item Unit Weight 6,638

Item Unit Width 90

Item_UOM pce

Measurements

LENGTH_L 3000

Z Measurement d 107,0

Z Measurement d1 90

Z Measurement e 4,7

Packaging

Packaging GTIN PL1 06414900552783

Packaging GTIN PL4 06414900277525

Packaging Height PL1 90

Packaging Height PL4 600

Packaging Length PL1 3000

Packaging Length PL4 1180

Packaging Quantity PL1 1

Packaging Quantity PL4 60

Packaging Type PL1 Piece

Packaging Type PL4	Pallet
Packaging Volume PL1	0,0243
Packaging Volume PL4	2,21604
Packaging Weight PL1	6,638
Packaging Weight PL4	398,28
Packaging Width PL1	90
Packaging Width PL4	3130

Documents

Page with all documents

↓

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com