

GF Silenta Premium pipe with single socket 135-3000mm

1146243

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta Premium pipe with single socket

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta Premium pipe with single socket 135-3000mm

1146243



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652133102
Item no GF	4401013506521
Item no GTIN	08698652133102
Item no VVS	186815300

Dimensions

Item Unit Height	135
Item Unit Length	3000
Item Unit Weight	12,342
Item Unit Width	135
Item_UOM	pce

Measurements

LENGTH_L	3000
Z Measurement d	154,6
Z Measurement d1	135
Z Measurement e	5,3

Packaging

Packaging GTIN PL1	06414900552547
Packaging GTIN PL4	06414900277464
Packaging Height PL1	135
Packaging Height PL4	555
Packaging Length PL1	3000
Packaging Length PL4	1180
Packaging Quantity PL1	1
Packaging Quantity PL4	24
Packaging Type PL1	Piece

Packaging Type PL4	Pallet
Packaging Volume PL1	0,054675
Packaging Volume PL4	2,0616252
Packaging Weight PL1	12,342
Packaging Weight PL4	296,208
Packaging Width PL1	135
Packaging Width PL4	3148

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com