


GF Silenta Premium pipe with single socket 200-3000

1146265

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta Premium pipe with single socket

Specification


- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta Premium pipe with single socket 200-3000

1146265



Status

Item Available From date

2026-02-01

Product code

Item no EAN 8698652133201

Item no GF 4401020008421

Item no GTIN 08698652133201

Item no VVS 186817300

Dimensions

Item Unit Height 200

Item Unit Length 3000

Item Unit Weight 20,389

Item Unit Width 200

Item_UOM pce

Measurements

LENGTH_L 3000

Z Measurement d 228,0

Z Measurement d1 200

Z Measurement e 6,2

Packaging

Packaging GTIN PL1 06414900552271

Packaging GTIN PL4 06414900277389

Packaging Height PL1 200

Packaging Height PL4 750

Packaging Length PL1 3000

Packaging Length PL4 1100

Packaging Quantity PL1 1

Packaging Quantity PL4 15

Packaging Type PL1 Piece

Packaging Type PL4	Pallet
Packaging Volume PL1	0,12
Packaging Volume PL4	2,6235
Packaging Weight PL1	20,389
Packaging Weight PL4	305,835
Packaging Width PL1	200
Packaging Width PL4	3180

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com