


GF Silenta Premium pipe without socket 200-3000

1146266

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta Premium pipe without socket

Specification


- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta Premium pipe without socket 200-3000

1146266

**Status**

Item Available From date

2026-02-01

Product code

Item no EAN	8698652133270
Item no GF	4401020010021
Item no GTIN	08698652133270
Item no VVS	186807300

Dimensions

Item Unit Height	200
Item Unit Length	3000
Item Unit Weight	21,105
Item Unit Width	200
Item_UOM	pce

Measurements

LENGTH_L	3000
Z Measurement d	200
Z Measurement e	6,2

Packaging

Packaging GTIN PL1	06414900552288
Packaging GTIN PL2	06414900277310
Packaging Height PL1	200
Packaging Height PL2	724
Packaging Length PL1	3000
Packaging Length PL2	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	15
Packaging Type PL1	Piece
Packaging Type PL2	Bag

Packaging Volume PL1	0,12
Packaging Volume PL2	2,6064
Packaging Weight PL1	21,105
Packaging Weight PL2	316,575
Packaging Width PL1	200
Packaging Width PL2	3000

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com