


GF Silenta Premium elbow long 45° 110mm

1146309

- Light gray, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta Premium elbow long 45°

Specification


- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta Premium elbow long 45° 110mm

1146309



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652133485
Item no GF	4501111030521
Item no GTIN	08698652133485
Item no VVS	186838016

Dimensions

Item Unit Height	322
Item Unit Length	135
Item Unit Weight	1,201
Item Unit Width	295
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900602051
Packaging GTIN PL2	06414900341363
Packaging GTIN PL4	06414900214360
Packaging Height PL1	322
Packaging Height PL2	360
Packaging Height PL4	1200
Packaging Length PL1	135
Packaging Length PL2	590
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	8
Packaging Quantity PL4	96
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,01282365
Packaging Volume PL2	0,082836
Packaging Volume PL4	1,152
Packaging Weight PL1	1,201
Packaging Weight PL2	9,608
Packaging Weight PL4	140,296
Packaging Width PL1	295
Packaging Width PL2	390
Packaging Width PL4	800

Measurements

Z Measurement d1	110
Z Measurement e	5,3
Z Measurement L1	250

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

E
communications@georgfischer.
com