


## GF Silenta 3A clamp plastic 125mm

1146639

- Clamp for Silenta Extreme System



### Application information GF Silenta 3A clamp plastic

#### Specification


- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

## GF Silenta 3A clamp plastic 125mm

1146639



### Status

Item Available From date 2026-02-01

### Product code

Item no EAN	8698652030302
Item no GF	4701912501322
Item no GTIN	08698652030302
Item no VVS	176938125

### Dimensions

Item Unit Height	160
Item Unit Length	24
Item Unit Weight	0,128
Item Unit Width	158
Item_UOM	pce

### Measurements

LENGTH\_L 159,0

### Technical data

Recycling Text Block PL2 corrugated cardboard / cartone

### Packaging

Packaging GTIN PL1	06414900553384
Packaging GTIN PL2	06414900617376
Packaging GTIN PL4	06414900565776
Packaging Height PL1	160
Packaging Height PL2	360
Packaging Height PL4	144
Packaging Length PL1	24
Packaging Length PL2	590
Packaging Length PL4	1200
Packaging Material (number) PL2	20

Packaging Material PL2	corrugated cardboard / cartone
Packaging Material (short) PL2	PAP_C
Packaging Quantity PL1	1
Packaging Quantity PL2	100
Packaging Quantity PL4	800
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00060672
Packaging Volume PL2	0,082836
Packaging Volume PL4	0,13824
Packaging Weight PL1	0,128
Packaging Weight PL2	13,84
Packaging Weight PL4	135,72
Packaging Width PL1	158
Packaging Width PL2	390
Packaging Width PL4	800

## Documents

Page with all documents 

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)