

GF Silenta 3A elbow 45deg 32mm

1146643

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A elbow 45deg

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A elbow 45deg 32mm

1146643



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652091808
Item no GF	4704103200321
Item no GTIN	08698652091808
Item no NOBB	60823809
Item no NRF	1486140
Item no RSK	2832132

Dimensions

Item Unit Height	85
Item Unit Length	45
Item Unit Weight	0,032
Item Unit Width	90
Item_UOM	pce

Measurements

LENGTH_L	97,5
Z Measurement d	32
Z Measurement d1	32,5
Z Measurement e	1,8
Z Measurement L1	42

Packaging

Packaging GTIN PL1	06414900553476
Packaging GTIN PL2	06414900565806
Packaging GTIN PL4	06414900565813
Packaging Height PL1	85
Packaging Height PL2	400
Packaging Height PL4	944

Packaging Length PL1	45
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	1000
Packaging Quantity PL4	4000
Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00034425
Packaging Volume PL2	0,192
Packaging Volume PL4	0,90624
Packaging Weight PL1	0,032
Packaging Weight PL2	33,56
Packaging Weight PL4	159,24
Packaging Width PL1	90
Packaging Width PL2	600
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com