

GF Silenta 3A elbow 45deg 40mm

1146646

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A elbow 45deg

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A elbow 45deg 40mm

1146646



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652074696
Item no GF	4704104000321
Item no GTIN	08698652074696
Item no NOBB	60823811
Item no NRF	1486142
Item no RSK	2832133

Dimensions

Item Unit Height	85
Item Unit Length	55
Item Unit Weight	0,063
Item Unit Width	95
Item_UOM	pce

Measurements

LENGTH_L	113,8
Z Measurement d	40
Z Measurement d1	40,5
Z Measurement e	1,8
Z Measurement L1	52,2

Packaging

Packaging GTIN PL1	06414900554794
Packaging GTIN PL2	06414900565844
Packaging GTIN PL4	06414900565851
Packaging Height PL1	85
Packaging Height PL2	243
Packaging Height PL4	1116

Packaging Length PL1	55
Packaging Length PL2	215
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	30
Packaging Quantity PL4	1800
Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000444125
Packaging Volume PL2	0,01316574
Packaging Volume PL4	1,07136
Packaging Weight PL1	0,063
Packaging Weight PL2	2,19
Packaging Weight PL4	156,4
Packaging Width PL1	95
Packaging Width PL2	252
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com