


GF Silenta 3A elbow 87,5deg 75mm

1146657

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A elbow 87,5deg

Specification


- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A elbow 87,5deg 75mm

1146657

**Status**

Item Available From date

2026-02-01

Product code

Item no EAN	8698652001036
Item no GF	4704107501021
Item no GTIN	08698652001036
Item no NOBB	60823822
Item no NRF	1486153
Item no RSK	2832166
Item no VVS	186721075

Dimensions

Item Unit Height	145
Item Unit Length	100
Item Unit Weight	0,2
Item Unit Width	133
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900555494
Packaging GTIN PL2	06414900566063
Packaging GTIN PL4	06414900566070
Packaging Height PL1	145
Packaging Height PL2	360
Packaging Height PL4	924
Packaging Length PL1	100
Packaging Length PL2	590
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	50

Packaging Quantity PL4	400
Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0019285
Packaging Volume PL2	0,082836
Packaging Volume PL4	0,88704
Packaging Weight PL1	0,2
Packaging Weight PL2	11,04
Packaging Weight PL4	113,32
Packaging Width PL1	133
Packaging Width PL2	390
Packaging Width PL4	800

Measurements

Wall thickness_s	16
Z Measurement e	2,3

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com