


GF Silenta 3A elbow 87,5deg 110mm

1146662

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A elbow 87,5deg

Specification


- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A elbow 87,5deg 110mm

1146662

**Status**

Item Available From date

2026-02-01

Product code

Item no EAN	8698652001050
Item no GF	4704111001521
Item no GTIN	08698652001050
Item no NOBB	60823827
Item no NRF	1486158
Item no RSK	2832168
Item no VVS	186721110

Dimensions

Item Unit Height	185
Item Unit Length	135
Item Unit Weight	0,465
Item Unit Width	177
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900555210
Packaging GTIN PL2	06414900566162
Packaging GTIN PL4	06414900566179
Packaging Height PL1	185
Packaging Height PL2	400
Packaging Height PL4	944
Packaging Length PL1	135
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	40

Packaging Quantity PL4	160
Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,004420575
Packaging Volume PL2	0,192
Packaging Volume PL4	0,90624
Packaging Weight PL1	0,465
Packaging Weight PL2	20,16
Packaging Weight PL4	105,64
Packaging Width PL1	177
Packaging Width PL2	600
Packaging Width PL4	800

Measurements

Wall thickness_s	16
Z Measurement e	3,4

Documents

[Page with all documents](#)

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com