


GF Silenta 3A branch 45deg 32-32mm

1146671

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A branch 45deg

Specification


- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A branch 45deg 32-32mm

1146671



Status

Item Available From date

2026-02-01

Product code

Item no EAN	8698652091846
Item no GF	4704203200121
Item no GTIN	08698652091846
Item no NOBB	60823836
Item no NRF	1486167
Item no RSK	2831996

Dimensions

Item Unit Height	135
Item Unit Length	45
Item Unit Weight	0,063
Item Unit Width	95
Item_UOM	pce

Measurements

LENGTH_L	142,9
Z Measurement ALPHA	45°
Z Measurement d	32
Z Measurement d1	32,5
Z Measurement d2	32,5
Z Measurement e	1,8
Z Measurement L1	42
Z measurement m	41,8
Z measurement m1	41,8
z1	5,8
Z2	36,9
Z3	42,7

Packaging

Packaging GTIN PL1	06414900554688
Packaging GTIN PL2	06414900566346
Packaging GTIN PL4	06414900566353
Packaging Height PL1	135
Packaging Height PL2	400
Packaging Height PL4	944
Packaging Length PL1	45
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	250
Packaging Quantity PL4	1000
Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000577125
Packaging Volume PL2	0,192
Packaging Volume PL4	0,90624
Packaging Weight PL1	0,063
Packaging Weight PL2	17,31
Packaging Weight PL4	94,24
Packaging Width PL1	95
Packaging Width PL2	600
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com