


GF Silenta 3A double branch 45deg 110-110mm

1146690

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A double branch 45deg

Specification


- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A double branch 45deg 110-110mm

1146690

**Status**

Item Available From date

2026-02-01

Product code

Item no EAN	8698652042527
Item no GF	4704211003421
Item no GTIN	08698652042527
Item no NOBB	60823855
Item no NRF	1486186
Item no RSK	2832101
Item no VVS	186738110

Dimensions

Item Unit Height	292
Item Unit Length	135
Item Unit Weight	1,05
Item Unit Width	378
Item_UOM	pce

Measurements

Length (l2)	58
Wall thickness_s	16
Z Measurement d2	110
Z Measurement e	3,4

Packaging

Packaging GTIN PL1	06414900601665
Packaging GTIN PL2	06414900566728
Packaging GTIN PL4	06414900566735
Packaging Height PL1	292
Packaging Height PL2	360
Packaging Height PL4	924

Packaging Length PL1	135
Packaging Length PL2	590
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	6
Packaging Quantity PL4	48
Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,01490076
Packaging Volume PL2	0,082836
Packaging Volume PL4	0,88704
Packaging Weight PL1	1,05
Packaging Weight PL2	7,34
Packaging Weight PL4	83,72
Packaging Width PL1	378
Packaging Width PL2	390
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com