


GF Silenta 3A S-siphon 87,5deg 75mm

1146734

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A S-siphon 87,5deg

Specification


- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A S-siphon 87,5deg 75mm

1146734

**Status**

Item Available From date

2026-02-01

Product code

Item no EAN	8698652075174
Item no GF	4704607500221
Item no GTIN	08698652075174
Item no NOBB	60823891
Item no NRF	1486222
Item no RSK	2832221
Item no VVS	186761075

Dimensions

Item Unit Height	200
Item Unit Length	130
Item Unit Weight	0,383
Item Unit Width	350
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900601412
Packaging GTIN PL2	06414900613286
Packaging GTIN PL4	06414900613293
Packaging Height PL1	200
Packaging Height PL2	400
Packaging Height PL4	944
Packaging Length PL1	130
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	50

Packaging Quantity PL4	200
Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0091
Packaging Volume PL2	0,192
Packaging Volume PL4	0,90624
Packaging Weight PL1	0,383
Packaging Weight PL2	20,71
Packaging Weight PL4	107,84
Packaging Width PL1	350
Packaging Width PL2	600
Packaging Width PL4	800

Measurements

Wall thickness_s	16
Z Measurement e	2,3

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com