


GF Silenta 3A S-siphon 87,5deg 110mm

1146736

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A S-siphon 87,5deg

Specification


- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A S-siphon 87,5deg 110mm

1146736

**Status**

Item Available From date

2026-02-01

Product code

Item no EAN	8698652001319
Item no GF	4704611000221
Item no GTIN	08698652001319
Item no NOBB	60823893
Item no NRF	1486224
Item no RSK	2832222
Item no VVS	186761110

Dimensions

Item Unit Height	215
Item Unit Length	144
Item Unit Weight	1,503
Item Unit Width	404
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900555395
Packaging GTIN PL2	06414900613323
Packaging GTIN PL4	06414900613330
Packaging Height PL1	215
Packaging Height PL2	360
Packaging Height PL4	924
Packaging Length PL1	144
Packaging Length PL2	590
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	5

Packaging Quantity PL4	40
Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,01250784
Packaging Volume PL2	0,082836
Packaging Volume PL4	0,88704
Packaging Weight PL1	1,503
Packaging Weight PL2	8,555
Packaging Weight PL4	93,44
Packaging Width PL1	404
Packaging Width PL2	390
Packaging Width PL4	800
Measurements	
Wall thickness_s	16
Z Measurement e	3,4

Documents

[Page with all documents](#)

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com