


## GF JRGUMAT thermostatic mixing valve 3400 40°C DN25

**1149492**

- Temperature: max. 90°C
- Nominal pressure: PN10
- Factory setting: 40°C (30-45°C)
- Material: gunmetal
- Connection: male thread



### Application information GF JRGUMAT thermostatic mixing valve 3400 40°C

#### Specification

- Dimension range DN15 – DN80
- Different temperature ranges (20-80°C) and factory settings (e.g. 25, 40, 55 and 70°C)

#### Application

- Potable water systems with requirements for constant mixed water temperature
- Central and decentralized hot water mixing for single- and multi-family homes, hospitality buildings and sports facilities
- Excess-temperature protection in systems using alternative forms of energy such as solar systems

## GF JRGUMAT thermostatic mixing valve 3400 40°C DN25

1149492



### Product code

Item no EAN	7613263098955
Item no GF	350760312
Item no GTIN	07613263098955
Item no RSK	4927913
Item no VVS	723481008

### Dimensions

Item Unit Height	94
Item Unit Length	110
Item Unit Weight	0,87
Item Unit Width	48
Item_UOM	pce

### Measurements

Length (l1)	43
Length (l2)	67
Z Measurement h1	36
Z Measurement h2	51
Z Measurement h3	43

### Packaging

Packaging GTIN PL1	06414900169400
Packaging Height PL1	91
Packaging Length PL1	190
Packaging Quantity PL1	1
Packaging Type PL1	Base_Box
Packaging Volume PL1	0,00252434
Packaging Weight PL1	1
Packaging Width PL1	146

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)