


GF JRGUMAT thermostatic mixing valve 3400 40°C DN20**1149503**

- Temperature: max. 90°C
- Nominal pressure: PN10
- Factory setting: 40°C (30-45°C)
- Material: gunmetal
- Connection: male thread

**Application information GF JRGUMAT thermostatic mixing valve 3400 40°C****Specification**

- Dimension range DN15 – DN80
- Different temperature ranges (20-80°C) and factory settings (e.g. 25, 40, 55 and 70°C)

Application

- Potable water systems with requirements for constant mixed water temperature
- Central and decentralized hot water mixing for single- and multi-family homes, hospitality buildings and sports facilities
- Excess-temperature protection in systems using alternative forms of energy such as solar systems

GF JRGUMAT thermostatic mixing valve 3400 40°C DN20

1149503



Product code

| | |
|--------------|----------------|
| Item no EAN | 7613263098986 |
| Item no GF | 350760412 |
| Item no GTIN | 07613263098986 |
| Item no RSK | 4927909 |
| Item no VVS | 723481006 |

Dimensions

| | |
|------------------|------|
| Item Unit Height | 89 |
| Item Unit Length | 100 |
| Item Unit Weight | 0,67 |
| Item Unit Width | 42 |
| Item_UOM | pce |

Measurements

| | |
|------------------|----|
| Length (l1) | 40 |
| Length (l2) | 60 |
| Z Measurement h1 | 32 |
| Z Measurement h2 | 49 |
| Z Measurement h3 | 40 |

Packaging

| | |
|------------------------|----------------|
| Packaging GTIN PL1 | 06414900169493 |
| Packaging Height PL1 | 81 |
| Packaging Length PL1 | 190 |
| Packaging Quantity PL1 | 1 |
| Packaging Type PL1 | Base_Box |
| Packaging Volume PL1 | 0,00232389 |
| Packaging Weight PL1 | 0,8 |
| Packaging Width PL1 | 151 |

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com