


**GF JRGUMAT thermostatic mixing valve 3400 55°C DN20****1149504**

- Temperature: max. 90°C
- Nominal pressure: PN10
- Factory setting: 55°C (45-65°C)
- Material: gunmetal
- Connection: male thread

**Application information GF JRGUMAT thermostatic mixing valve 3400 55°C****Specification**

- Dimension range DN15 – DN80
- Different temperature ranges (20-80°C) and factory settings (e.g. 25, 40, 55 and 70°C)

**Application**

- Potable water systems with requirements for constant mixed water temperature
- Central and decentralized hot water mixing for single- and multi-family homes, hospitality buildings and sports facilities
- Excess-temperature protection in systems using alternative forms of energy such as solar systems

## GF JRGUMAT thermostatic mixing valve 3400 55°C DN20

1149504



### Product code

Item no EAN	7613263098993
Item no GF	350760413
Item no GTIN	07613263098993
Item no RSK	4927911

### Dimensions

Item Unit Height	89
Item Unit Length	100
Item Unit Weight	0,701
Item Unit Width	42
Item_UOM	pce

### Measurements

Length (l1)	40
Length (l2)	60
Z Measurement h1	32
Z Measurement h2	49
Z Measurement h3	40

### Packaging

Packaging GTIN PL1	06414900169509
Packaging Height PL1	81
Packaging Length PL1	190
Packaging Quantity PL1	1
Packaging Type PL1	Base_Box
Packaging Volume PL1	0,00232389
Packaging Weight PL1	0,831
Packaging Width PL1	151

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)