


GF JRGUTHERM balancing valve DN15

1149540

- Description: factory setting 57°C (adjustable 36 - 63°C), including insulation shell
- Temperature: max. 90°C
- Nominal pressure: PN10
- Material: gunmetal
- Connection: screw connection



Application information GF JRGUTHERM balancing valve

Specification


- Dimension range DN15 & 20
- Factory setting: 57°C, adjustable 36-63°C

Application

Hot water circulation return line (PWH-C)

GF JRGUTHERM balancing valve DN15

1149540



Product code

Item no EAN	7613263013163
Item no GF	350831401
Item no GTIN	07613263013163
Item no LVI	4013720
Item no RSK	4883212

Dimensions

Item Unit Height	75
Item Unit Length	195
Item Unit Weight	0,5
Item Unit Width	110
Item_UOM	pce

Measurements

Length (l1)	194
Length (l2)	38
Length (l3)	70
Z Measurement h	64

Packaging

Packaging GTIN PL1	06414900169783
Packaging Height PL1	75
Packaging Length PL1	205
Packaging Quantity PL1	1
Packaging Type PL1	Base_Box
Packaging Volume PL1	0,00169125
Packaging Weight PL1	0,552957118737971
Packaging Width PL1	110

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com