


GF Silenta seal rubber trbg 110mm

1150066

- Rubber Seal for Silenta System



Application information GF Silenta seal rubber trbg

Specification


- System-certified accessories developed specifically for GF Silenta drainage systems
- Includes fixing components such as acoustic pipe clamps, safety clamps and fastening elements
- Includes sealing and connection components such as gaskets, rubber seals and transition adapters
- Includes fire protection components such as fire-isolating sleeves for wall and floor penetrations
- Designed to preserve the acoustic performance according to EN 14366 when installed correctly
- Supports compliance with relevant fire classification and building regulations depending on application
- Compatible with Silenta pipes, fittings and approved interface systems

Application

- Sound-insulated drainage systems based on GF Silenta Premium and Silenta 3A
- Residential buildings, apartment complexes and high-rise housing
- Commercial and public buildings such as offices, hospitals, schools and hotels
- Industrial buildings with domestic and comparable wastewater applications
- New construction and renovation projects requiring acoustic and fire-compliant drainage solutions

GF Silenta seal rubber trbg 110mm

1150066

**Status**

Item Available From date

2026-02-01

Product code

Item no EAN	8698652171746
Item no GF	1410911000192
Item no GTIN	08698652171746
Item no NOBB	60823942
Item no NRF	1486273
Item no RSK	1568025
Item no VVS	186891710

Dimensions

Item Unit Height	10
Item Unit Length	122
Item Unit Weight	0,02
Item Unit Width	122
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900172820
Packaging GTIN PL4	06414900100045
Packaging Height PL1	10
Packaging Height PL4	1300
Packaging Length PL1	122
Packaging Length PL4	1300
Packaging Quantity PL1	1
Packaging Quantity PL4	5418
Packaging Type PL1	Piece
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00014884

Packaging Volume PL4	1,859
Packaging Weight PL1	0,02
Packaging Weight PL4	133,36
Packaging Width PL1	122
Packaging Width PL4	1100

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com