


GF HT-PP pipe with single socket S20 125X250mm

1150108

- Gray, monolayer, PP-material, according to EN 1451. The S class is S20.



Application information GF HT-PP pipe with single socket

Specification

- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

GF HT-PP pipe with single socket S20 125X250mm

1150108



Status

Item Available From date

2026-02-01

Product code

Item no EAN 8698652031552

Item no GF 4801012505121

Item no GTIN 08698652031552

Item no VVS 186028025

Dimensions

Item Unit Height 125

Item Unit Length 250

Item Unit Weight 0,548

Item Unit Width 125

Item_UOM pce

Packaging

Packaging GTIN PL1 06414900554374

Packaging GTIN PL2 06414900173216

Packaging GTIN PL4 06414900249812

Packaging Height PL1 125

Packaging Height PL2 400

Packaging Height PL4 1200

Packaging Length PL1 250

Packaging Length PL2 800

Packaging Length PL4 1200

Packaging Quantity PL1 1

Packaging Quantity PL2 20

Packaging Quantity PL4 120

Packaging Type PL1 Piece

Packaging Type PL2 Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,00390625
Packaging Volume PL2	0,192
Packaging Volume PL4	1,44
Packaging Weight PL1	0,548
Packaging Weight PL2	10,96
Packaging Weight PL4	90,76
Packaging Width PL1	125
Packaging Width PL2	600
Packaging Width PL4	1000

Measurements

Wall thickness_s	20
Z Measurement d	136,9
Z Measurement d1	125
Z Measurement e	3,1
Z Measurement L1	65

Documents

[Page with all documents](#)

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com