


GF HT-PP pipe with single socket S20 160x500mm

1150114

- Gray, monolayer, PP-material, according to EN 1451. The S class is S20.



Application information GF HT-PP pipe with single socket

Specification

- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

GF HT-PP pipe with single socket S20 160x500mm

1150114



Status

Item Available From date

2026-02-01

Product code

Item no EAN	8698652031637
Item no GF	4801016006221
Item no GTIN	08698652031637
Item no VVS	186029050

Dimensions

Item Unit Height	160
Item Unit Length	500
Item Unit Weight	1,489
Item Unit Width	160
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900602112
Packaging GTIN PL2	06414900173278
Packaging GTIN PL4	06414900249843
Packaging Height PL1	160
Packaging Height PL2	400
Packaging Height PL4	1200
Packaging Length PL1	500
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	8
Packaging Quantity PL4	48
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,0128
Packaging Volume PL2	0,192
Packaging Volume PL4	1,44
Packaging Weight PL1	1,489
Packaging Weight PL2	11,912
Packaging Weight PL4	96,472
Packaging Width PL1	160
Packaging Width PL2	600
Packaging Width PL4	1000

Measurements

Wall thickness_s	20
Z Measurement d	176,5
Z Measurement d1	160
Z Measurement e	3,9
Z Measurement L1	75

Documents

[Page with all documents](#)

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com