


GF HT-PP elbow 67,5deg 50mm

1150133

- Gray, PP-material, according to EN 1451



Application information GF HT-PP elbow 67,5deg

Specification


- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

GF HT-PP elbow 67,5deg 50mm

1150133

**Status**

Item Available From date

2026-02-01

Product code

Item no EAN	8698652041100
Item no GF	4901105002321
Item no GTIN	08698652041100
Item no VVS	186134050

Dimensions

Item Unit Height	135
Item Unit Length	77
Item Unit Weight	0,067
Item Unit Width	115
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900555036
Packaging GTIN PL2	06414900230971
Packaging GTIN PL4	06414900103770
Packaging Height PL1	135
Packaging Height PL2	400
Packaging Height PL4	1200
Packaging Length PL1	77
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	300
Packaging Quantity PL4	1800
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,001195425
Packaging Volume PL2	0,192
Packaging Volume PL4	1,152
Packaging Weight PL1	0,067
Packaging Weight PL2	20,1
Packaging Weight PL4	145,6
Packaging Width PL1	115
Packaging Width PL2	600
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com