


GF HT-PP elbow 67,5° 75mm

1150138

- Gray, PP-material, according to EN 1451



Application information GF HT-PP elbow 67,5°

Specification


- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

GF HT-PP elbow 67,5° 75mm

1150138



Status

Item Available From date

2026-02-01

Product code

Item no EAN	8698652042497
Item no GF	4901107503321
Item no GTIN	08698652042497
Item no VVS	186134075

Dimensions

Item Unit Height	156
Item Unit Length	100
Item Unit Weight	0,135
Item Unit Width	140
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900554015
Packaging GTIN PL2	06414900231022
Packaging GTIN PL4	06414900103879
Packaging Height PL1	156
Packaging Height PL2	400
Packaging Height PL4	1200
Packaging Length PL1	100
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	150
Packaging Quantity PL4	900
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,002184
Packaging Volume PL2	0,192
Packaging Volume PL4	1,152
Packaging Weight PL1	0,135
Packaging Weight PL2	20,25
Packaging Weight PL4	146,5
Packaging Width PL1	140
Packaging Width PL2	600
Packaging Width PL4	800

Measurements

Wall thickness_s	16
Z Measurement d	75
Z Measurement d1	75
Z Measurement d2	84,6
Z Measurement e	2,3
Z Measurement L1	53,6
z1	25,1
Z2	25,1

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com