


GF HT-PP elbow 87,5deg 125mm

1150146

- Gray, PP-material, according to EN 1451



Application information GF HT-PP elbow 87,5deg

Specification


- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

GF HT-PP elbow 87,5deg 125mm

1150146

**Status**

Item Available From date

2026-02-01

Product code

Item no EAN	8698652031903
-------------	---------------

Item no GF	4901112505121
------------	---------------

Item no GTIN	08698652031903
--------------	----------------

Item no VVS	186114125
-------------	-----------

Dimensions

Item Unit Height	210
------------------	-----

Item Unit Length	150
------------------	-----

Item Unit Weight	0,438
------------------	-------

Item Unit Width	210
-----------------	-----

Item_UOM	pce
----------	-----

Packaging

Packaging GTIN PL1	06414900554879
--------------------	----------------

Packaging GTIN PL2	06414900231107
--------------------	----------------

Packaging GTIN PL4	06414900104098
--------------------	----------------

Packaging Height PL1	210
----------------------	-----

Packaging Height PL2	400
----------------------	-----

Packaging Height PL4	1200
----------------------	------

Packaging Length PL1	150
----------------------	-----

Packaging Length PL2	800
----------------------	-----

Packaging Length PL4	1200
----------------------	------

Packaging Quantity PL1	1
------------------------	---

Packaging Quantity PL2	30
------------------------	----

Packaging Quantity PL4	180
------------------------	-----

Packaging Type PL1	Piece
--------------------	-------

Packaging Type PL2	Medium_Box
--------------------	------------

Packaging Type PL4	Pallet
Packaging Volume PL1	0,006615
Packaging Volume PL2	0,192
Packaging Volume PL4	1,152
Packaging Weight PL1	0,438
Packaging Weight PL2	13,14
Packaging Weight PL4	103,84
Packaging Width PL1	210
Packaging Width PL2	600
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com