


## GF HT-PP corner double branch 87,5° 110-110mm

1150172

- Gray, PP-material, according to EN 1451



### Application information GF HT-PP corner double branch 87,5°

#### Specification


- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

#### Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

## GF HT-PP corner double branch 87,5° 110-110mm

1150172

**Status**

Item Available From date

2026-02-01

**Product code**

|              |                |
|--------------|----------------|
| Item no EAN  | 8698652125589  |
| Item no GF   | 4901211015521  |
| Item no GTIN | 08698652125589 |
| Item no VVS  | 186422110      |

**Dimensions**

|                  |      |
|------------------|------|
| Item Unit Height | 241  |
| Item Unit Length | 201  |
| Item Unit Weight | 0,99 |
| Item Unit Width  | 201  |
| Item_UOM         | pce  |

**Measurements**

|                  |       |
|------------------|-------|
| Length (l2)      | 66,3  |
| Wall thickness_s | 16    |
| Z Measurement b1 | 6     |
| Z Measurement d  | 110   |
| Z Measurement d1 | 110   |
| Z Measurement d2 | 121,2 |
| Z Measurement d3 | 110,5 |
| Z Measurement d3 | 110,5 |
| Z Measurement d4 | 121,2 |
| Z Measurement e  | 3,4   |
| Z Measurement L1 | 65,4  |
| z1               | 111   |
| z2               | 4,8   |

**Packaging**

|                        |                |
|------------------------|----------------|
| Packaging GTIN PL1     | 06414900554435 |
| Packaging GTIN PL2     | 06414900231367 |
| Packaging GTIN PL4     | 06414900104852 |
| Packaging Height PL1   | 241            |
| Packaging Height PL2   | 400            |
| Packaging Height PL4   | 1200           |
| Packaging Length PL1   | 201            |
| Packaging Length PL2   | 800            |
| Packaging Length PL4   | 1200           |
| Packaging Quantity PL1 | 1              |
| Packaging Quantity PL2 | 20             |
| Packaging Quantity PL4 | 120            |
| Packaging Type PL1     | Piece          |
| Packaging Type PL2     | Medium_Box     |
| Packaging Type PL4     | Pallet         |
| Packaging Volume PL1   | 0,009736641    |
| Packaging Volume PL2   | 0,192          |
| Packaging Volume PL4   | 1,152          |
| Packaging Weight PL1   | 0,99           |
| Packaging Weight PL2   | 19,8           |
| Packaging Weight PL4   | 143,8          |
| Packaging Width PL1    | 201            |
| Packaging Width PL2    | 600            |
| Packaging Width PL4    | 800            |

## Documents

[Page with all documents](#)

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211  
E  
communications@georgfischer.  
com