


GF HT-PP reducer eccentric 160-125mm

1150191

- Gray, PP-material, according to EN 1451



Application information GF HT-PP reducer eccentric

Specification


- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

GF HT-PP reducer eccentric 160-125mm

1150191

**Status**

Item Available From date

2026-02-01

Product code

Item no EAN	8698652057972
Item no GF	4901416041021
Item no GTIN	08698652057972
Item no VVS	186511158

Dimensions

Item Unit Height	182
Item Unit Length	170
Item Unit Weight	0,42
Item Unit Width	170
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900601474
Packaging GTIN PL2	06414900231558
Packaging GTIN PL4	06414900104180
Packaging Height PL1	182
Packaging Height PL2	400
Packaging Height PL4	1200
Packaging Length PL1	170
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	50
Packaging Quantity PL4	300
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,0052598
Packaging Volume PL2	0,192
Packaging Volume PL4	1,44
Packaging Weight PL1	0,42
Packaging Weight PL2	21
Packaging Weight PL4	151
Packaging Width PL1	170
Packaging Width PL2	600
Packaging Width PL4	1000

Measurements

Wall thickness_s	20
Z Measurement d	160
Z Measurement d1	125,5
Z Measurement d2	138,5
Z Measurement e	4,9
Z Measurement h	17,2
Z Measurement L1	75,3
z1	20,7

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com