


## GF HT-PP sleeve socket 75mm

1150197

- Gray, PP-material, according to EN 1451



### Application information GF HT-PP sleeve socket

#### Specification


- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

#### Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

## GF HT-PP sleeve socket 75mm

1150197



## Status

Item Available From date

2026-02-01

## Product code

|              |                |
|--------------|----------------|
| Item no EAN  | 8698652076119  |
| Item no GF   | 4901507531821  |
| Item no GTIN | 08698652076119 |
| Item no VVS  | 186543075      |

## Dimensions

|                  |       |
|------------------|-------|
| Item Unit Height | 100   |
| Item Unit Length | 90    |
| Item Unit Weight | 0,061 |
| Item Unit Width  | 90    |
| Item_UOM         | pce   |

## Packaging

|                        |                |
|------------------------|----------------|
| Packaging GTIN PL1     | 06414900554558 |
| Packaging GTIN PL2     | 06414900231619 |
| Packaging GTIN PL4     | 06414900105385 |
| Packaging Height PL1   | 100            |
| Packaging Height PL2   | 400            |
| Packaging Height PL4   | 1200           |
| Packaging Length PL1   | 90             |
| Packaging Length PL2   | 800            |
| Packaging Length PL4   | 1200           |
| Packaging Quantity PL1 | 1              |
| Packaging Quantity PL2 | 200            |
| Packaging Quantity PL4 | 1200           |
| Packaging Type PL1     | Piece          |
| Packaging Type PL2     | Medium_Box     |

|                      |         |
|----------------------|---------|
| Packaging Type PL4   | Pallet  |
| Packaging Volume PL1 | 0,00081 |
| Packaging Volume PL2 | 0,192   |
| Packaging Volume PL4 | 1,44    |
| Packaging Weight PL1 | 0,061   |
| Packaging Weight PL2 | 12,2    |
| Packaging Weight PL4 | 98,2    |
| Packaging Width PL1  | 90      |
| Packaging Width PL2  | 600     |
| Packaging Width PL4  | 1000    |

## Measurements

|                  |      |
|------------------|------|
| Wall thickness_s | 16   |
| Z Measurement d  | 75   |
| Z Measurement d1 | 75,5 |
| Z Measurement d2 | 84,6 |
| Z Measurement e  | 2,3  |

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211  
E  
communications@georgfischer.  
com