


GF HT-PP sleeve socket 160mm

1150202

- Gray, PP-material, according to EN 1451



Application information GF HT-PP sleeve socket

Specification


- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

GF HT-PP sleeve socket 160mm

1150202

**Status**

Item Available From date

2026-02-01

Product code

Item no EAN	8698652092126
Item no GF	4901516032021
Item no GTIN	08698652092126
Item no VVS	186543160

Dimensions

Item Unit Height	140
Item Unit Length	188
Item Unit Weight	0,508
Item Unit Width	188
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900554947
Packaging GTIN PL2	06414900231664
Packaging GTIN PL4	06414900105491
Packaging Height PL1	140
Packaging Height PL2	400
Packaging Height PL4	1200
Packaging Length PL1	188
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	30
Packaging Quantity PL4	180
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,00494816
Packaging Volume PL2	0,192
Packaging Volume PL4	1,44
Packaging Weight PL1	0,508
Packaging Weight PL2	15,24
Packaging Weight PL4	116,44
Packaging Width PL1	188
Packaging Width PL2	600
Packaging Width PL4	1000

Measurements

Wall thickness_s	16
Z Measurement d	160
Z Measurement d1	160,6
Z Measurement d2	175,2
Z Measurement e	5,3

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com