


GF HT-PP socket plug 75mm

1150207

- Gray, PP-material, according to EN 1451



Application information GF HT-PP socket plug

Specification

- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

GF HT-PP socket plug 75mm

1150207



Status

Item Available From date

2026-02-01

Product code

Item no EAN 8698652055374

Item no GF 4901907540821

Item no GTIN 08698652055374

Item no VVS 186523075

Dimensions

Item Unit Height 50

Item Unit Length 85

Item Unit Weight 0,059

Item Unit Width 85

Item_UOM pce

Packaging

Packaging GTIN PL1 06414900554565

Packaging GTIN PL2 06414900231718

Packaging GTIN PL4 06414900105606

Packaging Height PL1 50

Packaging Height PL2 400

Packaging Height PL4 1200

Packaging Length PL1 85

Packaging Length PL2 800

Packaging Length PL4 1200

Packaging Quantity PL1 1

Packaging Quantity PL2 200

Packaging Quantity PL4 1200

Packaging Type PL1 Piece

Packaging Type PL2 Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,00036125
Packaging Volume PL2	0,192
Packaging Volume PL4	1,44
Packaging Weight PL1	0,059
Packaging Weight PL2	11,8
Packaging Weight PL4	95,8
Packaging Width PL1	85
Packaging Width PL2	600
Packaging Width PL4	1000

Measurements

Wall thickness_s	16
Z Measurement d	75
Z Measurement d1	83,3
Z Measurement e	2,3
z1	2,6

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

E
communications@georgfischer.
com