


GF HT-PP pipe with single socket 32x250mm

1150821

- Gray, monolayer, PP-material, according to EN 1451. The S class is S20.



Application information GF HT-PP pipe with single socket

Specification


- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

GF HT-PP pipe with single socket 32x250mm

1150821



Status

Item Available From date

2026-02-01

Product code

Item no EAN	8698652042312
Item no GF	4801003200221
Item no GTIN	08698652042312
Item no VVS	186020025

Dimensions

Item Unit Height	32
Item Unit Length	250
Item Unit Weight	0,059
Item Unit Width	32
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900554992
Packaging GTIN PL2	06414900233347
Packaging GTIN PL4	06414900249591
Packaging Height PL1	32
Packaging Height PL2	400
Packaging Height PL4	2000
Packaging Length PL1	250
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	300
Packaging Quantity PL4	3000
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,000256
Packaging Volume PL2	0,192
Packaging Volume PL4	1,92
Packaging Weight PL1	0,059
Packaging Weight PL2	17,76
Packaging Weight PL4	202,6
Packaging Width PL1	32
Packaging Width PL2	600
Packaging Width PL4	800

Measurements

Wall thickness_s	20
Z Measurement d	39
Z Measurement d1	32
Z Measurement e	1,8
Z Measurement L1	45

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com