Product data sheet



GF Silenta seal rubber trbg 58

1159807

- Rubber Seal for Silenta System



Application information GF Silenta seal rubber trbg

Specification

- System-certified accessories developed specifically for GF Silenta drainage systems
- Includes fixing components such as acoustic pipe clamps, safety clamps and fastening elements
- Includes sealing and connection components such as gaskets, rubber seals and transition adapters
- Includes fire protection components such as fire-isolating sleeves for wall and floor penetrations
- Designed to preserve the acoustic performance according to EN 14366 when installed correctly
- Supports compliance with relevant fire classification and building regulations depending on application
- Compatible with Silenta pipes, fittings and approved interface systems

Application

- Sound-insulated drainage systems based on GF Silenta Premium and Silenta 3A
- Residential buildings, apartment complexes and high-rise housing
- Commercial and public buildings such as offices, hospitals, schools and hotels
- Industrial buildings with domestic and comparable wastewater applications
- New construction and renovation projects requiring acoustic and fire-compliant drainage solutions

GF Silenta seal rubber trbg 58

1159807



Status

Item Available From date	2026-02-01

Product code

Item no EAN	8698652173153
Item no GF	1410905801192
Item no GTIN	08698652173153
Item no NOBB	60823948
Item no NRF	1486279
Item no RSK	1568022
Item no VVS	186891658

Dimensions

Item Unit Height	10
Item Unit Length	69
Item Unit Weight	0,005
Item Unit Width	69
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900117661
Packaging Height PL1	10
Packaging Length PL1	69
Packaging Quantity PL1	1
Packaging Type PL1	Piece
Packaging Volume PL1	0,00004761
Packaging Weight PL1	0,005
Packaging Width PL1	69

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+