Product data sheet



GF Silenta seal rubber trbg 160

1159827

- Rubber Seal for Silenta System



Application information GF Silenta seal rubber trbg

Specification

- System-certified accessories developed specifically for GF Silenta drainage systems
- Includes fixing components such as acoustic pipe clamps, safety clamps and fastening elements
- Includes sealing and connection components such as gaskets, rubber seals and transition adapters
- Includes fire protection components such as fire-isolating sleeves for wall and floor penetrations
- Designed to preserve the acoustic performance according to EN 14366 when installed correctly
- Supports compliance with relevant fire classification and building regulations depending on application
- Compatible with Silenta pipes, fittings and approved interface systems

Application

- Sound-insulated drainage systems based on GF Silenta Premium and Silenta 3A
- Residential buildings, apartment complexes and high-rise housing
- Commercial and public buildings such as offices, hospitals, schools and hotels
- Industrial buildings with domestic and comparable wastewater applications
- New construction and renovation projects requiring acoustic and fire-compliant drainage solutions

GF Silenta seal rubber trbg 160

1159827



Status

Item Available From date	2026-02-01

Product code

Item no EAN	8698652174631
Item no GF	1410916000192
Item no GTIN	08698652174631
Item no NOBB	60823953
Item no NRF	1486284
Item no RSK	1568027
Item no VVS	186891760

Dimensions

Item Unit Height	13
Item Unit Length	177
Item Unit Weight	0,036
Item Unit Width	177
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900117821
Packaging GTIN PL4	06414900100120
Packaging Height PL1	13
Packaging Height PL4	1300
Packaging Length PL1	177
Packaging Length PL4	1300
Packaging Quantity PL1	1
Packaging Quantity PL4	1792
Packaging Type PL1	Piece

Packaging Type PL4	Pallet
Packaging Volume PL1	0,000407277
Packaging Volume PL4	1,859
Packaging Weight PL1	0,036
Packaging Weight PL4	89,512
Packaging Width PL1	177
Packaging Width PL4	1100

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+