


Uponor Ecoflex VIP Thermo Pipe Twin 2X75X6,8/250

1160615

- Heating and Cooling
- Two medium pipes PE-Xa with oxygen barrier, SDR11
- Max. Load 6 bar / 95°C
- Coloured centre profil to avoid confusion of flow and return line
- VIP+PEX foam, HDPE casing



Application information Uponor Ecoflex VIP Thermo Pipe Twin

Specification

- Flexible, pre-insulated, self-compensating plastic pipe system produced based on EN 15632 and EN 17414.
- Medium pipe: cross-linked polyethylene (PE-Xa) pipe based on EN ISO 15875, natural colored, PN 6 (SDR 11), Oxygen tightness based on EN 15632
- Insulating material: Revolutionary insulation material with extremely low lambda value in combination with permanently elastic closed-cell PE-X foam
- Casing pipe: Corrugated polyethylene (HDPE)

Application


- Transport of heating and cooling water for buried installations.
- Heating operating temperature 80°C based on EN 15632
- Malfunction temperature 95°C
- Static verification for heavy traffic load of 60 tons

Certification

- Approvals should be checked by local responsible person

Uponor Ecoflex VIP Thermo Pipe Twin 2X75X6,8/250

1160615

**Status**

Item Available From date

2026-06-01

Product code

Item no EAN	6414900506427
-------------	---------------

Item no GF	35001160615
------------	-------------

Item no GTIN	06414900506427
--------------	----------------

Item no LVI	3010180
-------------	---------

Item no NRF	1475902
-------------	---------

Item no RSK	2523141
-------------	---------

Dimensions

Item Unit Height	250
------------------	-----

Item Unit Length	1000
------------------	------

Item Unit Weight	6,74
------------------	------

Item Unit Width	250
-----------------	-----

Item_UOM	m
----------	---

Measurements

Outer Diameter_do	250
-------------------	-----

Outer Diameter_do1	75
--------------------	----

Outer Diameter_do2	75
--------------------	----

Wall thickness_s1	6,8
-------------------	-----

Wall thickness_s2	6,8
-------------------	-----

Packaging

Packaging GTIN PL1	06414900448710
--------------------	----------------

Packaging Height PL1	2450
----------------------	------

Packaging Length PL1	2450
----------------------	------

Packaging Quantity PL1	100
------------------------	-----

Packaging Type PL1	Coil
--------------------	------

Packaging Volume PL1	10,8045
----------------------	---------

Packaging Weight PL1	676
----------------------	-----

Packaging Width PL1

1800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com