


GF HT-PP white elbow 30° 40mm

1184635

- White, PP-material, according to EN 1451



Application information GF HT-PP white elbow 30°

Specification


- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

GF HT-PP white elbow 30° 40mm

1184635



Status

Item Available From date

2026-02-01

Product code

Item no EAN 6414900085052

Item no GF 4900104000221

Item no GTIN 06414900085052

Item no VVS 186164340

Dimensions

Item Unit Height 90

Item Unit Length 55

Item Unit Weight 0,041

Item Unit Width 75

Item_UOM pce

Measurements

Outer Diameter_do 20

Z Measurement ALPHA 30

Z Measurement d 40

Z Measurement d1 20,2

Z Measurement d2 24,8

Z Measurement e 1,8

Z Measurement f 9,87

Z Measurement L1 45

Z measurement m 50,2

z1 5,4

z2 8,1

Packaging

Packaging GTIN PL1 06414900085632

Packaging Height PL1 400

Packaging Length PL1	800
Packaging Quantity PL1	500
Packaging Type PL1	Base_Box
Packaging Volume PL1	0,192
Packaging Weight PL1	22,06
Packaging Width PL1	600

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com