


## GF HT-PP white branch 45° 50-50mm

**1184645**

- White, PP-material, according to EN 1451



### Application information GF HT-PP white branch 45°

#### Specification


- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

#### Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

## GF HT-PP white branch 45° 50-50mm

1184645



## Status

Item Available From date

2026-02-01

## Product code

Item no EAN 6414900085151

Item no GF 4900205000121

Item no GTIN 06414900085151

Item no VVS 186381350

## Dimensions

Item Unit Height 175

Item Unit Length 65

Item Unit Weight 0,104

Item Unit Width 130

Item\_UOM pce

## Measurements

Length (l1) 55,7

Z Measurement ALPHA 45°

Z Measurement d 50

Z Measurement d1 50,5

Z measurement m 48,9

Z measurement m1 48,9

z1 9,5

Z2 50

Z3 60,9

## Packaging

Packaging GTIN PL1 06414900085731

Packaging Height PL1 400

Packaging Length PL1 800

Packaging Quantity PL1 150

|                      |          |
|----------------------|----------|
| Packaging Type PL1   | Base_Box |
| Packaging Volume PL1 | 0,192    |
| Packaging Weight PL1 | 17,16    |
| Packaging Width PL1  | 600      |

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211  
E  
communications@georgfischer.  
com