

GF Silenta 3A pipe with single socket 90x3000mm

1185510

- Light blue, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A pipe with single socket

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A pipe with single socket 90x3000mm

1185510



Status

Item Available From date

2026-02-01

Product code

Item no EAN	6414900269476
Item no GF	4604009005521
Item no GTIN	06414900269476
Item no RSK	2749198

Dimensions

Item Unit Height	106
Item Unit Length	3060
Item Unit Weight	2,202
Item Unit Width	106
Item_UOM	pce

Measurements

Length (l1)	60
Z Measurement d	90
Z Measurement d1	90,5
Z Measurement e	2,8

Packaging

Packaging GTIN PL1	06414900552981
Packaging GTIN PL4	06414900559201
Packaging Height PL1	106
Packaging Height PL4	600
Packaging Length PL1	3060
Packaging Length PL4	1180
Packaging Quantity PL1	1
Packaging Quantity PL4	60
Packaging Type PL1	Piece

Packaging Type PL4	Wooden_Cage
Packaging Volume PL1	0,03438216
Packaging Volume PL4	2,21604
Packaging Weight PL1	2,202
Packaging Weight PL4	159,6788
Packaging Width PL1	106
Packaging Width PL4	3130

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com