

GF Silenta 3A branch 45deg 90-50mm

1185511

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A branch 45deg

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A branch 45deg 90-50mm

1185511

**Status**

Item Available From date 2026-02-01

Product code

Item no EAN	6414900269483
Item no GF	4704209000121
Item no GTIN	06414900269483
Item no RSK	2832001

Dimensions

Item Unit Height	170
Item Unit Length	190
Item Unit Weight	0,251
Item Unit Width	107
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900601252
Packaging GTIN PL2	06414900653442
Packaging Height PL1	170
Packaging Height PL2	360
Packaging Length PL1	190
Packaging Length PL2	390
Packaging Quantity PL1	1
Packaging Quantity PL2	8
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box
Packaging Volume PL1	0,0034561
Packaging Volume PL2	0,040716
Packaging Weight PL1	0,251
Packaging Weight PL2	3,3492

Packaging Width PL1	107
Packaging Width PL2	290

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com