


GF Silenta 3A branch radius 87,5deg 90-50mm

1185514

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A branch radius 87,5deg

Specification


- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A branch radius 87,5deg 90-50mm

1185514



Status

Item Available From date

2026-02-01

Product code

Item no EAN 6414900269513

Item no GF 4704209001321

Item no GTIN 06414900269513

Item no RSK 2832066

Dimensions

Item Unit Height 170

Item Unit Length 180

Item Unit Weight 0,246

Item Unit Width 107

Item_UOM pce

Measurements

Length (l2) 48,5

Z Measurement ALPHA 87,5

Z Measurement d 90

Z Measurement d1 90,6

Z Measurement d2 63,7

Z Measurement e 2,8

Z Measurement L1 55

Z Measurement LB 180

Packaging

Packaging GTIN PL1 06414900601276

Packaging GTIN PL2 06414900653503

Packaging Height PL1 170

Packaging Height PL2 360

Packaging Length PL1 180

Packaging Length PL2	590
Packaging Quantity PL1	1
Packaging Quantity PL2	8
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box
Packaging Volume PL1	0,0032742
Packaging Volume PL2	0,082836
Packaging Weight PL1	0,246
Packaging Weight PL2	3,3092
Packaging Width PL1	107
Packaging Width PL2	390

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com