


GF Silenta 3A double branch radius 87,5° 90-90mm

1185518

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A double branch radius 87,5°

Specification


- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A double branch radius 87,5° 90-90mm

1185518

**Status**

Item Available From date

2026-02-01

Product code

Item no EAN	6414900269551
Item no GF	4704209002121
Item no GTIN	06414900269551
Item no RSK	2832105

Dimensions

Item Unit Height	264
Item Unit Length	222
Item Unit Weight	0,423
Item Unit Width	107
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900601290
Packaging GTIN PL2	06414900653206
Packaging Height PL1	264
Packaging Height PL2	360
Packaging Length PL1	222
Packaging Length PL2	590
Packaging Quantity PL1	1
Packaging Quantity PL2	8
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box
Packaging Volume PL1	0,006271056
Packaging Volume PL2	0,082836
Packaging Weight PL1	0,423
Packaging Weight PL2	4,7252

Packaging Width PL1	107
Packaging Width PL2	390
Measurements	
Z Measurement ALPHA	87,5°
Z Measurement d	85,3
Z Measurement d1	93,8
Z Measurement d2	90,5
Z Measurement e	2,8
Z measurement m	55
z1	64,8
Z2	72,5
Z3	44,3

Documents

Page with all documents

↓

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com