

GF Silenta 3A reducer eccentric 90-50mm

1185522

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A reducer eccentric

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A reducer eccentric 90-50mm

1185522

**Status**

Item Available From date 2026-02-01

Product code

Item no EAN	6414900269599
Item no GF	4704409000121
Item no GTIN	06414900269599
Item no RSK	2832179

Dimensions

Item Unit Height	97
Item Unit Length	121
Item Unit Weight	0,131
Item Unit Width	97
Item_UOM	pce

Measurements

Length (l1)	41,3
Z Measurement d	90
Z Measurement d1	50,5
Z Measurement e	3,1

Packaging

Packaging GTIN PL1	06414900552660
Packaging GTIN PL2	06414900653244
Packaging Height PL1	97
Packaging Height PL2	360
Packaging Length PL1	121
Packaging Length PL2	390
Packaging Quantity PL1	1
Packaging Quantity PL2	32
Packaging Type PL1	Piece

Packaging Type PL2	Medium_Box
Packaging Volume PL1	0,001138489
Packaging Volume PL2	0,040716
Packaging Weight PL1	0,131
Packaging Weight PL2	5,5332
Packaging Width PL1	97
Packaging Width PL2	290

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com