

GF Silenta 3A elbow 67,5deg 90mm

1185528

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A elbow 67,5deg

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A elbow 67,5deg 90mm

1185528

**Status**

Item Available From date

2026-02-01

Product code

Item no EAN	6414900269650
Item no GF	4704109030321
Item no GTIN	06414900269650
Item no RSK	2832158

Dimensions

Item Unit Height	158
Item Unit Length	169
Item Unit Weight	0,229
Item Unit Width	107
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900552622
Packaging GTIN PL2	06414900653305
Packaging Height PL1	158
Packaging Height PL2	360
Packaging Length PL1	169
Packaging Length PL2	590
Packaging Quantity PL1	1
Packaging Quantity PL2	32
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box
Packaging Volume PL1	0,002857114
Packaging Volume PL2	0,082836
Packaging Weight PL1	0,229
Packaging Weight PL2	8,6692

Packaging Width PL1	107
Packaging Width PL2	390

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com