

GF Silenta 3A socket 90mm

1185532

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A socket

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A socket 90mm

1185532



Status

Item Available From date 2026-02-01

Product code

Item no EAN	6414900269698
Item no GF	4704509030021
Item no GTIN	06414900269698
Item no RSK	2832207

Dimensions

Item Unit Height	107
Item Unit Length	125
Item Unit Weight	0,181
Item Unit Width	107
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900552363
Packaging GTIN PL2	06414900653343
Packaging Height PL1	107
Packaging Height PL2	360
Packaging Length PL1	125
Packaging Length PL2	390
Packaging Quantity PL1	1
Packaging Quantity PL2	18
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box
Packaging Volume PL1	0,001431125
Packaging Volume PL2	0,040716
Packaging Weight PL1	0,181
Packaging Weight PL2	4,5992

Packaging Width PL1	107
Packaging Width PL2	290
Measurements	
Z Measurement d	90,5
Z Measurement e	2,6

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com