

GF Silenta 3A sleeve socket 90mm

1185533

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A sleeve socket

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A sleeve socket 90mm

1185533

**Status**

Item Available From date 2026-02-01

Product code

Item no EAN	6414900269704
Item no GF	4704509030121
Item no GTIN	06414900269704
Item no RSK	2832193

Dimensions

Item Unit Height	107
Item Unit Length	125
Item Unit Weight	0,178
Item Unit Width	107
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900552387
Packaging GTIN PL2	06414900653350
Packaging Height PL1	107
Packaging Height PL2	360
Packaging Length PL1	125
Packaging Length PL2	390
Packaging Quantity PL1	1
Packaging Quantity PL2	18
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box
Packaging Volume PL1	0,001431125
Packaging Volume PL2	0,040716
Packaging Weight PL1	0,178
Packaging Weight PL2	4,5452

Packaging Width PL1	107
Packaging Width PL2	290

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com