

ENVIRONMENTAL PRODUCT DECLARATION

IN ACCORDANCE WITH EN 15804+A2 & ISO 14025 / ISO 21930

Uponor Q&E (Brass)
Uponor Corporation



EPD HUB, HUB-1141

Publishing date 21 February 2024, last updated on 21 February 2024, valid until 21 February 2029.

GENERAL INFORMATION

MANUFACTURER

Manufacturer	Uponor Corporation
Address	Ilmalantori 4, 00240 Helsinki, Finland
Contact details	info@uponor.com
Website	www.uponor.com

EPD STANDARDS, SCOPE AND VERIFICATION

Program operator	EPD Hub, hub@epdhub.com
Reference standard	EN 15804+A2:2019 and ISO 14025
PCR	EPD Hub Core PCR version 1.0, 1 Feb 2022
Sector	Construction product
Category of EPD	Third party verified EPD
Scope of the EPD	Cradle to gate with options, A4-A5, and modules C1-C4, D
EPD author	Dr. Shima Holder Hjort, Uponor Corporation
EPD verification	Independent verification of this EPD and data, according to ISO 14025: <input type="checkbox"/> Internal certification <input checked="" type="checkbox"/> External verification
EPD verifier	Magaly González Vázquez, as an authorized verifier acting for EPD Hub Limited

The manufacturer has the sole ownership, liability, and responsibility for the EPD. EPDs within the same product category but from different programs may not be comparable. EPDs of construction products may not be comparable if they do not comply with EN 15804 and if they are not compared in a building context.

PRODUCT

Product name	Uponor Q&E (Brass)
Additional labels	
Product reference	1023045 1023003 1023034 1033437 1059822 1047862 1023009 1023035 1023010 1063860 1063928 1063928 1046279 1047863 1033438 1047191 1023014 1023012 1023022 1023011 1063735 1023017 1063732 1023020 1063871 1047941 1047866 1023019 1023013 1023021 1023015 1023016 1023023 1023005 1063738 1008730 1025829 1047864 1047864 1025881 1063750 1063743 1025967 1025882 1023024 1047198 1063740 1047937 1047936 1023007 1062846 1008867 1008867 1063806 1025837 1047942 1063755 1023006 1063752 1025840 1023025 1008732 1008732 1063745 1023026 1025765 1063753 1047932 1025936 1047213 1118974 1047880 1063734 1047917 1047885 1063754 1033435 1063744 1063938 1047886 1047879 1047881 1047193 1047888 1047882 1008734 1063932 1023040 1047217 1047212 1062861 1047215 1063939 1047197 1063739 1047195 1063736 1047199 1062845 1023042 1023018 1047194 1047940 1025770 1025832 1025830
Place of production	Industriestraße 56, 97437 Haßfurt, Germany
Period for data	2022
Averaging in EPD	No averaging
Variation in GWP-fossil for A1-A3	%

ENVIRONMENTAL DATA SUMMARY

Declared unit	1 kg of product
Declared unit mass	1 kg
GWP-fossil, A1-A3 (kgCO2e)	3,60E+00
GWP-total, A1-A3 (kgCO2e)	3,56E+00
Secondary material, inputs (%)	84,9
Secondary material, outputs (%)	99,5
Total energy use, A1-A3 (kWh)	18,3
Total water use, A1-A3 (m3e)	8,64E-02

PRODUCT AND MANUFACTURER

ABOUT THE MANUFACTURER

Uponor is rethinking water for future generations. Our offering, including safe drinking water delivery, energy-efficient radiant heating and cooling and reliable infrastructure, enables a more sustainable living environment. We help our customers in residential and commercial construction, municipalities and utilities, as well as different industries to work faster and smarter. We employ about 3,800 professionals in 26 countries in Europe and North America. Over 100 years of expertise and trust form the basis of any successful partnership. This is the basis, on which they can build, in a literal and metaphorical sense. We create trust together with our partners: Customers, prospective customers and suppliers. We establish this with shared knowledge, quality and sustainable results.

PRODUCT DESCRIPTION

Uponor Q&E is a unique and innovative fittings system that uses the shrink-back effect of cross-linked polyethylene PE-Xa pipes for quick and easy installation. A wide range of fittings and accessories makes Q&E a complete and secure system for cost-effective installation. Corrosion resistance makes it safe, secure, and watertight. This EPD covers Q&E fittings made from brass (60% recycled). Male and female threads are manufactured according to EN 10226-1

Application areas:

- Tap water: The permanent operating temperature ranges from 0°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating lifetime.
- Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating lifetime.

Further information can be found at www.uponor.com.

PRODUCT RAW MATERIAL MAIN COMPOSITION

Raw material category	Amount, mass- %	Material origin
Metals	100	EU
Minerals	-	-
Fossil materials	-	-
Bio-based materials	-	-

BIOGENIC CARBON CONTENT

Product's biogenic carbon content at the factory gate

Biogenic carbon content in product, kg C	-
Biogenic carbon content in packaging, kg C	0

FUNCTIONAL UNIT AND SERVICE LIFE

Declared unit	1 kg of product
Mass per declared unit	1 kg
Functional unit	-
Reference service life	-

SUBSTANCES, REACH - VERY HIGH CONCERN

The product does not contain any REACH SVHC substances in amounts greater than 0,1 % (1000 ppm).

PRODUCT LIFE-CYCLE

SYSTEM BOUNDARY

This EPD covers the life-cycle modules listed in the following table.

Product stage			Assembly stage		Use stage							End of life stage				Beyond the system boundaries		
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D		
x	x	x	x	x	MND	MND	MND	MND	MND	MND	MND	x	x	x	x	x		
Raw materials	Transport	Manufacturing	Transport	Assembly	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy use	Operational water use	Deconstr./demol.	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling

Modules not declared = MND. Modules not relevant = MNR.

MANUFACTURING AND PACKAGING (A1-A3)

The environmental impacts considered for the product stage cover the manufacturing of raw materials used in the production as well as packaging materials and other ancillary materials. Also, fuels used by machines, and handling of waste formed in the production processes at the manufacturing facilities are included in this stage. The study also considers the material losses occurring during the manufacturing processes as well as losses during electricity transmission.

Uponor Q&E is manufactured with brass (60% recycled). The fittings are supplied to the construction site packed in cardboard boxes. Installation instructions come with each pack.

MANUFACTURING PROCESS



TRANSPORT AND INSTALLATION (A4-A5)

Transportation impacts occurred from final products delivery to construction site (A4) cover fuel direct exhaust emissions, environmental impacts of fuel production, as well as related infrastructure emissions.

The transportation distance is defined according to the standard. Average distance of transportation from production plant to building site is based on the actual sales average figures of the company in of the local markets and the transportation method is assumed to be lorry. Vehicle capacity utilization volume factor is assumed to be 100 which means full load. In reality, it may vary but as the role of transportation emissions in the total results is small, the variety in load is assumed to be negligible. Empty returns are not taken into account as it is assumed that a return trip is used by the transportation company to serve the needs of other clients. Transportation does not cause losses as the products are packaged properly. Volume capacity utilisation factor is assumed to be <1 for the nested packaged products.

Environmental impacts from installation into the building include waste packaging materials (A5).

PRODUCT USE AND MAINTENANCE (B1-B7)

This EPD does not cover the use phase.

Air, soil, and water impacts during the use phase have not been studied.

PRODUCT END OF LIFE (C1- C4, D)

Since the consumption of energy and natural resources is negligible for disassembling of the end-of-life product, the impacts of demolition are assumed zero (C1). The end-of-life product is assumed to be sent to the closest facility by lorry and is assumed to be 50 km away (C2). 100% of the end-of-life product is collected separately from the demolition site and recycled. Due to the recycling potential of brass, the end-of-life product is converted into recycled material (D). The benefits and loads of waste packaging materials in A5 are also considered in module D.

LIFE-CYCLE ASSESSMENT

CUT-OFF CRITERIA

The study does not exclude any modules or processes which are stated mandatory in the reference standard and the applied PCR. The study does not exclude any hazardous materials or substances. The study includes all major raw material and energy consumption. All inputs and outputs of the unit processes, for which data is available for, are included in the calculation. There is no neglected unit process more than 1% of total mass or energy flows. The module specific total neglected input and output flows also do not exceed 5% of energy usage or mass.

ALLOCATION, ESTIMATES AND ASSUMPTIONS

Allocation is required if some material, energy, and waste data cannot be measured separately for the product under investigation. All allocations are done as per the reference standards and the applied PCR. In this study, allocation has been done in the following ways:

Data type	Allocation
Raw materials	No allocation
Packaging materials	No allocation
Ancillary materials	No allocation
Manufacturing energy and waste	Allocated by mass or volume

AVERAGES AND VARIABILITY

Type of average	No averaging
Averaging method	Not applicable
Variation in GWP-fossil for A1-A3	%

This EPD is product and factory specific and does not contain average calculations.

LCA SOFTWARE AND BIBLIOGRAPHY

This EPD has been created using One Click LCA EPD Generator. The LCA and EPD have been prepared according to the reference standards and ISO 14040/14044. Ecoinvent v3.8 and One Click LCA databases were used as sources of environmental data.

ENVIRONMENTAL IMPACT DATA

CORE ENVIRONMENTAL IMPACT INDICATORS – EN 15804+A2, PEF

Impact category	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
GWP – total ¹⁾	kg CO ₂ e	2,71E+00	1,15E-01	7,42E-01	3,56E+00	8,31E-02	5,41E-02	MND	MNR	4,69E-03	2,02E-02	0,00E+00	2,49E+00						
GWP – fossil	kg CO ₂ e	2,70E+00	1,15E-01	7,84E-01	3,60E+00	8,31E-02	1,15E-02	MND	MNR	4,69E-03	2,02E-02	0,00E+00	2,48E+00						
GWP – biogenic	kg CO ₂ e	0,00E+00	0,00E+00	-4,26E-02	-4,26E-02	0,00E+00	4,26E-02	MND	MNR	0,00E+00	0,00E+00	0,00E+00	0,00E+00						
GWP – LULUC	kg CO ₂ e	5,93E-03	4,26E-05	1,37E-04	6,11E-03	3,06E-05	1,04E-05	MND	MNR	1,73E-06	2,23E-05	0,00E+00	5,45E-03						
Ozone depletion pot.	kg CFC ₁₁ e	1,52E-07	2,65E-08	1,29E-07	3,07E-07	1,91E-08	7,39E-10	MND	MNR	1,08E-09	8,99E-10	0,00E+00	1,40E-07						
Acidification potential	mol H ⁺ e	1,94E-01	4,89E-04	1,49E-03	1,96E-01	3,52E-04	3,88E-05	MND	MNR	1,99E-05	1,32E-04	0,00E+00	1,78E-01						
EP-freshwater ²⁾	kg Pe	8,60E-04	9,45E-07	4,95E-06	8,66E-04	6,80E-07	4,74E-07	MND	MNR	3,84E-08	1,29E-06	0,00E+00	7,90E-04						
EP-marine	kg Ne	9,54E-03	1,45E-04	3,57E-04	1,00E-02	1,05E-04	8,86E-06	MND	MNR	5,90E-06	4,56E-05	0,00E+00	8,77E-03						
EP-terrestrial	mol Ne	1,37E-01	1,60E-03	3,89E-03	1,42E-01	1,15E-03	8,54E-05	MND	MNR	6,51E-05	3,73E-04	0,00E+00	1,26E-01						
POCP (“smog”) ³⁾	kg NMVOCe	3,76E-02	5,12E-04	1,43E-03	3,96E-02	3,69E-04	2,73E-05	MND	MNR	2,08E-05	1,21E-04	0,00E+00	3,46E-02						
ADP-minerals & metals ⁴⁾	kg Sbe	4,83E-03	2,70E-07	3,19E-06	4,83E-03	1,95E-07	8,35E-08	MND	MNR	1,10E-08	6,94E-07	0,00E+00	4,43E-03						
ADP-fossil resources	MJ	3,35E+01	1,73E+00	1,37E+01	4,89E+01	1,25E+00	1,19E-01	MND	MNR	7,05E-02	1,62E-01	0,00E+00	3,08E+01						
Water use ⁵⁾	m ³ e depr.	2,52E+00	7,75E-03	1,22E-01	2,65E+00	5,58E-03	3,80E-03	MND	MNR	3,15E-04	3,80E-03	0,00E+00	2,32E+00						

1) GWP = Global Warming Potential; 2) EP = Eutrophication potential. Required characterisation method and data are in kg P-eq. Multiply by 3,07 to get PO₄e; 3) POCP = Photochemical ozone formation; 4) ADP = Abiotic depletion potential; 5) EN 15804+A2 disclaimer for Abiotic depletion and Water use and optional indicators except Particulate matter and Ionizing radiation, human health. The results of these environmental impact indicators shall be used with care as the uncertainties on these results are high or as there is limited experience with the indicator.

ADDITIONAL (OPTIONAL) ENVIRONMENTAL IMPACT INDICATORS – EN 15804+A2, PEF

Impact category	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Particulate matter	Incidence	4,41E-07	1,33E-08	9,59E-09	4,64E-07	9,57E-09	5,20E-10	MND	MNR	5,41E-10	1,38E-08	0,00E+00	4,05E-07						
Ionizing radiation ⁶⁾	kBq U235e	3,43E-01	8,25E-03	1,11E-02	3,63E-01	5,94E-03	1,74E-03	MND	MNR	3,36E-04	1,15E-03	0,00E+00	3,16E-01						
Ecotoxicity (freshwater)	CTUe	1,81E+03	1,56E+00	4,12E+00	1,82E+03	1,12E+00	2,31E-01	MND	MNR	6,34E-02	2,77E+01	0,00E+00	1,67E+03						
Human toxicity, cancer	CTUh	3,67E-08	3,83E-11	3,09E-10	3,70E-08	2,76E-11	2,42E-11	MND	MNR	1,56E-12	2,25E-10	0,00E+00	3,37E-08						
Human tox. non-cancer	CTUh	2,61E-06	1,54E-09	3,70E-09	2,62E-06	1,11E-09	1,80E-10	MND	MNR	6,27E-11	1,48E-09	0,00E+00	2,40E-06						
SQP ⁷⁾	-	6,37E+01	2,00E+00	1,54E+00	6,73E+01	1,44E+00	7,04E-02	MND	MNR	8,12E-02	8,46E-01	0,00E+00	5,86E+01						

6) EN 15804+A2 disclaimer for ionizing radiation, human health. This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator; 7) SQP = Land use related impacts/soil quality.

USE OF NATURAL RESOURCES

Impact category	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Renew. PER as energy ⁸⁾	MJ	8,77E+00	1,95E-02	8,99E+00	1,78E+01	1,41E-02	1,48E-02	MND	MNR	7,94E-04	2,19E-02	0,00E+00	8,06E+00						
Renew. PER as material	MJ	0,00E+00	0,00E+00	4,21E-01	4,21E-01	0,00E+00	-4,21E-01	MND	MNR	0,00E+00	0,00E+00	0,00E+00	0,00E+00						
Total use of renew. PER	MJ	8,77E+00	1,95E-02	9,41E+00	1,82E+01	1,41E-02	-4,07E-01	MND	MNR	7,94E-04	2,19E-02	0,00E+00	8,06E+00						
Non-re. PER as energy	MJ	3,35E+01	1,73E+00	1,27E+01	4,79E+01	1,25E+00	1,19E-01	MND	MNR	7,05E-02	1,62E-01	0,00E+00	3,08E+01						
Non-re. PER as material	MJ	0,00E+00	0,00E+00	1,01E+00	1,01E+00	0,00E+00	-1,01E+00	MND	MNR	0,00E+00	0,00E+00	0,00E+00	0,00E+00						
Total use of non-re. PER	MJ	3,35E+01	1,73E+00	1,37E+01	4,89E+01	1,25E+00	-8,91E-01	MND	MNR	7,05E-02	1,62E-01	0,00E+00	3,08E+01						
Secondary materials	kg	8,49E-01	4,81E-04	3,46E-02	8,84E-01	3,46E-04	4,27E-04	MND	MNR	1,96E-05	2,91E-04	0,00E+00	1,14E-01						
Renew. secondary fuels	MJ	6,84E-04	4,85E-06	8,59E-04	1,55E-03	3,49E-06	4,15E-06	MND	MNR	1,97E-07	2,41E-05	0,00E+00	6,28E-04						
Non-ren. secondary fuels	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	MND	MNR	0,00E+00	0,00E+00	0,00E+00	0,00E+00						
Use of net fresh water	m ³	8,35E-02	2,24E-04	2,72E-03	8,64E-02	1,62E-04	8,40E-05	MND	MNR	9,13E-06	9,28E-05	0,00E+00	7,67E-02						

8) PER = Primary energy resources.

END OF LIFE – WASTE

Impact category	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Hazardous waste	kg	8,07E-01	2,30E-03	1,84E-02	8,28E-01	1,65E-03	1,42E-03	MND	MNR	9,34E-05	1,66E-03	0,00E+00	7,41E-01						
Non-hazardous waste	kg	5,56E+01	3,78E-02	4,13E-01	5,61E+01	2,72E-02	2,12E-02	MND	MNR	1,54E-03	3,13E-02	0,00E+00	5,11E+01						
Radioactive waste	kg	1,23E-04	1,16E-05	4,67E-06	1,39E-04	8,35E-06	6,21E-07	MND	MNR	4,71E-07	5,22E-07	0,00E+00	1,13E-04						

END OF LIFE – OUTPUT FLOWS


Impact category	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Components for re-use	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	MND	MNR	0,00E+00	0,00E+00	0,00E+00	0,00E+00						
Materials for recycling	kg	0,00E+00	0,00E+00	2,08E-01	2,08E-01	0,00E+00	5,36E-02	MND	MNR	0,00E+00	1,00E+00	0,00E+00	0,00E+00						
Materials for energy rec	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	MND	MNR	0,00E+00	0,00E+00	0,00E+00	0,00E+00						
Exported energy	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	MND	MNR	0,00E+00	0,00E+00	0,00E+00	0,00E+00						

ENVIRONMENTAL IMPACTS – EN 15804+A1, CML / ISO 21930

Impact category	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Global Warming Pot.	kg CO ₂ e	2,64E+00	1,14E-01	7,65E-01	3,52E+00	8,22E-02	1,17E-02	MND	MNR	4,64E-03	5,00E-02	0,00E+00	2,43E+00						
Ozone depletion Pot.	kg CFC ₁₁ e	1,26E-07	2,10E-08	1,13E-07	2,60E-07	1,51E-08	6,32E-10	MND	MNR	8,55E-10	7,43E-10	0,00E+00	1,16E-07						
Acidification	kg SO ₂ e	1,70E-01	3,80E-04	1,20E-03	1,72E-01	2,73E-04	3,15E-05	MND	MNR	1,54E-05	1,04E-04	0,00E+00	1,57E-01						
Eutrophication	kg PO ₄ ³ e	5,19E-02	8,64E-05	3,09E-04	5,23E-02	6,22E-05	3,23E-05	MND	MNR	3,52E-06	2,99E-04	0,00E+00	4,77E-02						
POCP ("smog")	kg C ₂ H ₄ e	6,46E-03	1,48E-05	1,08E-04	6,58E-03	1,07E-05	2,33E-06	MND	MNR	6,03E-07	2,42E-05	0,00E+00	5,94E-03						
ADP-elements	kg Sbe	4,82E-03	2,62E-07	3,16E-06	4,82E-03	1,89E-07	8,23E-08	MND	MNR	1,07E-08	6,92E-07	0,00E+00	4,43E-03						
ADP-fossil	MJ	3,35E+01	1,73E+00	1,37E+01	4,89E+01	1,25E+00	1,19E-01	MND	MNR	7,05E-02	1,62E-01	0,00E+00	3,08E+01						

ENVIRONMENTAL IMPACTS – TRACI 2.1. / ISO 21930

Impact category	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Global Warming Pot.	kg CO ₂ e	2,63E+00	1,14E-01	7,56E-01	3,50E+00	8,22E-02	1,16E-02	MND	MNR	4,65E-03	4,42E-02	0,00E+00	2,41E+00						
Ozone Depletion	kg CFC ₁₁ e	1,25E-07	2,10E-08	1,13E-07	2,59E-07	1,51E-08	6,30E-10	MND	MNR	8,55E-10	7,37E-10	0,00E+00	1,15E-07						
Acidification	kg SO ₂ e	7,75E+00	2,32E-02	6,83E-02	7,84E+00	1,67E-02	1,75E-03	MND	MNR	9,45E-04	7,22E-03	0,00E+00	7,12E+00						
Eutrophication	kg Ne	1,67E-03	4,86E-05	6,03E-05	1,78E-03	3,50E-05	4,04E-06	MND	MNR	1,98E-06	5,35E-06	0,00E+00	1,54E-03						
POCP ("smog")	kg O ₃ e	2,34E-02	3,75E-04	9,77E-04	2,47E-02	2,70E-04	1,86E-05	MND	MNR	1,53E-05	9,90E-05	0,00E+00	2,15E-02						
ADP-fossil	MJ	2,46E+00	2,37E-01	2,04E+00	4,74E+00	1,71E-01	8,86E-03	MND	MNR	9,64E-03	1,28E-02	0,00E+00	2,26E+00						



VERIFICATION STATEMENT

VERIFICATION PROCESS FOR THIS EPD

This EPD has been verified in accordance with ISO 14025 by an independent, third-party verifier by reviewing results, documents and compliance with reference standard, ISO 14025 and ISO 14040/14044, following the process and checklists of the program operator for:

- This Environmental Product Declaration
- The Life-Cycle Assessment used in this EPD
- The digital background data for this EPD

Why does verification transparency matter? [Read more online](#)

This EPD has been generated by One Click LCA EPD generator, which has been verified and approved by the EPD Hub.

THIRD-PARTY VERIFICATION STATEMENT

I hereby confirm that, following detailed examination, I have not established any relevant deviations by the studied Environmental Product Declaration (EPD), its LCA and project report, in terms of the data collected and used in the LCA calculations, the way the LCA-based calculations have been carried out, the presentation of environmental data in the EPD, and other additional environmental information, as present with respect to the procedural and methodological requirements in ISO 14025:2010 and reference standard.

I confirm that the company-specific data has been examined as regards plausibility and consistency; the declaration owner is responsible for its factual integrity and legal compliance.

I confirm that I have sufficient knowledge and experience of construction products, this specific product category, the construction industry, relevant standards, and the geographical area of the EPD to carry out this verification.

I confirm my independence in my role as verifier; I have not been involved in the execution of the LCA or in the development of the declaration and have no conflicts of interest regarding this verification.

Magaly González Vázquez, as an authorized verifier acting for EPD Hub Limited
21.02.2024



ANNEX 1: CONVERSION TABLE FOR PRODUCT STAGE (A1-A3) GWP – EN 15804+A2, PEF

Product Number	Product Description	Unit Product Weight (kg/pce)	GWP – total, Stages A1-A3 (kg CO2e/pce)
1008730	UPONOR Q&E ADAPTER MALE THREAD PL W 32-G1"MT	0,156	5,55E-01
1008732	UPONOR Q&E ADAPTER MALE THREAD PL W 40-G1 1/4"MT	0,302	1,08E+00
1008734	UPONOR Q&E ADAPTER DR 16-15CU L=16MM	0,027	9,61E-02
1008867	UPONOR Q&E ADAPTER MALE THREAD PL W 63-G2"MT	0,660	2,35E+00
1023003	UPONOR Q&E ADAPTER MALE THREAD PL 16-R1/2"MT	0,052	1,85E-01
1023005	UPONOR Q&E ADAPTER MALE THREAD PL 20-R1/2"MT	0,060	2,14E-01
1023006	UPONOR Q&E ADAPTER MALE THREAD PL 20-R3/4"MT	0,090	3,20E-01
1023007	UPONOR Q&E ADAPTER MALE THREAD PL 25-R3/4"MT	0,100	3,56E-01
1023009	UPONOR Q&E ADAPTER FEMALE THREAD PL 16-RP1/2"FT	0,074	2,63E-01
1023010	UPONOR Q&E ADAPTER FEMALE THREAD PL 20-RP1/2"FT	0,080	2,85E-01
1023011	UPONOR Q&E ADAPTER FEMALE THREAD PL 20-RP3/4"FT	0,098	3,49E-01
1023012	UPONOR Q&E ADAPTER FEMALE THREAD PL 25-RP3/4"FT	0,115	4,09E-01
1023013	UPONOR Q&E ADAPTER FEMALE THREAD PL 25-RP1"FT	0,186	6,62E-01
1023014	UPONOR Q&E ADAPTER SWIVEL NUT PL 16-G1/2"SN	0,045	1,60E-01
1023015	UPONOR Q&E ADAPTER SWIVEL NUT PL 20-G1/2"SN	0,063	2,24E-01
1023016	UPONOR Q&E ADAPTER SWIVEL NUT PL 20-G3/4"SN	0,070	2,49E-01
1023017	UPONOR Q&E ADAPTER SWIVEL NUT PL 25-G3/4"SN	0,093	3,31E-01
1023018	UPONOR Q&E ADAPTER SWIVEL NUT PL 25-G1"SN	0,126	4,49E-01
1023019	UPONOR Q&E ELBOW ADAPTER MALE THREAD PL 16-G1/2"MT	0,032	1,14E-01
1023020	UPONOR Q&E ELBOW ADAPTER MALE THREAD PL 20-G1/2"MT	0,063	2,24E-01
1023021	UPONOR Q&E ELBOW ADAPTER MALE THREAD PL 20-G3/4"MT	0,108	3,84E-01
1023022	UPONOR Q&E ELBOW ADAPTER MALE THREAD PL 25-G3/4"MT	0,120	4,27E-01
1023023	UPONOR Q&E ELBOW ADAPTER FEMALE THREAD PL 16-G1/2"FT	0,061	2,17E-01
1023024	UPONOR Q&E ELBOW ADAPTER FEMALE THREAD PL 20-G1/2"FT	0,081	2,88E-01
1023025	UPONOR Q&E ELBOW ADAPTER FEMALE THREAD PL 20-G3/4"FT	0,128	4,56E-01
1023026	UPONOR Q&E ELBOW ADAPTER FEMALE THREAD PL 25-G3/4"FT	0,128	4,56E-01
1023034	UPONOR SMART AQUA TAP ELBOW Q&E PL 16-RP1/2"FT L=43MM	0,102	3,63E-01
1023035	UPONOR SMART AQUA TAP ELBOW Q&E PL 20-RP1/2"FT L=43MM	0,105	3,74E-01
1023040	UPONOR Q&E ADAPTER FOR SOLDERING PL 16-15CU	0,027	9,61E-02
1023042	UPONOR Q&E ADAPTER FOR SOLDERING PL 25-22CU	0,067	2,39E-01
1023045	UPONOR SMART RADI ELBOW ADAPTER PLATED Q&E 16-15CU L=300MM	0,150	5,34E-01
1025765	UPONOR Q&E ADAPTER SWIVEL NUT, PLATED NKB DR 15-1/2"SN	0,047	1,67E-01
1025770	UPONOR Q&E ELBOW ADAPTER SWIVEL, PLATED NKB DR 15-3/4"SN	0,076	2,71E-01
1025829	UPONOR Q&E ADAPTER MALE THREAD NKB DR 15-G1/2"MT	0,040	1,42E-01

1025830	UPONOR Q&E ADAPTER MALE THREAD NKB DR 18-G1/2"MT	0,044	1,57E-01
1025832	UPONOR Q&E ADAPTER MALE THREAD NKB DR 22-G3/4"MT	0,081	2,88E-01
1025837	UPONOR Q&E ADAPTER FEMALE THREAD NKB DR 15-1/2"FT	0,077	2,74E-01
1025840	UPONOR Q&E ADAPTER FEMALE THREAD NKB DR 22-3/4"FT	0,100	3,56E-01
1025881	UPONOR AQUA PLUS MANIFOLD ADAPTER O-RING Q&E E NKB DR 18-3/8"MT	0,035	1,25E-01
1025882	UPONOR Q&E COUPLING NKB DR 15-15	0,030	1,07E-01
1025936	UPONOR Q&E ELBOW ADAPTER SWIVEL NUT NKB DR 22-3/4"SN	0,120	4,27E-01
1025967	UPONOR Q&E TEE NKB DR 15-15-15	0,049	1,74E-01
1033435	UPONOR Q&E ADAPTER MALE THREAD PL 16-G1/2"MT	0,038	1,35E-01
1033437	UPONOR Q&E ADAPTER MALE THREAD PL 20-G1/2"MT	0,049	1,74E-01
1033438	UPONOR Q&E ADAPTER MALE THREAD PL 20-G3/4"MT	0,076	2,71E-01
1046279	UPONOR Q&E MANIFOLD MALE SW, VALVE DR 3/4"MT/SN 3X16 C/C35MM	0,440	1,57E+00
1047191	UPONOR Q&E ADAPTER MALE THREAD PL 32-R1"MT	0,170	6,05E-01
1047193	UPONOR Q&E COUPLING PL 16-16	0,028	9,97E-02
1047194	UPONOR Q&E COUPLING PL 20-20	0,050	1,78E-01
1047195	UPONOR Q&E COUPLING PL 25-25	0,090	3,20E-01
1047197	UPONOR Q&E ELBOW PL 16-16	0,040	1,42E-01
1047198	UPONOR Q&E ELBOW PL 20-20	0,082	2,92E-01
1047199	UPONOR Q&E ELBOW PL 25-25	0,138	4,91E-01
1047212	UPONOR Q&E TEE PL 16-16-16	0,062	2,21E-01
1047213	UPONOR Q&E TEE PL 20-20-20	0,108	3,84E-01
1047215	UPONOR Q&E TEE REDUCER PL 20-16-20	0,084	2,99E-01
1047217	UPONOR Q&E TEE REDUCER PL 25-20-25	0,180	6,41E-01
1047862	UPONOR Q&E ADAPTER MALE THREAD PL 25-G3/4"MT	0,090	3,20E-01
1047863	UPONOR Q&E ADAPTER MALE THREAD PL 25-G1"MT	0,111	3,95E-01
1047864	UPONOR Q&E ADAPTER MALE THREAD PL 50-G1 1/2"MT	0,519	1,85E+00
1047866	UPONOR Q&E ADAPTER FEMALE THREAD PL 32-G1"FT	0,184	6,55E-01
1047879	UPONOR Q&E ELBOW ADAPTER SWIVEL NUT PL 16-G1/2"SN	0,076	2,71E-01
1047880	UPONOR Q&E ELBOW ADAPTER SWIVEL NUT PL 20-G1/2"SN	0,083	2,95E-01
1047881	UPONOR Q&E ELBOW ADAPTER SWIVEL NUT PL 20-G3/4"SN	0,149	5,30E-01
1047882	UPONOR Q&E ELBOW ADAPTER SWIVEL NUT PL 25-G3/4"SN	0,136	4,84E-01
1047885	UPONOR Q&E TEE ADAPTER FEMALE THREAD PL 16-RP1/2"FT-16	0,080	2,85E-01
1047886	UPONOR Q&E TEE ADAPTER FEMALE THREAD PL 20-RP1/2"FT-20	0,112	3,99E-01
1047888	UPONOR Q&E TEE ADAPTER FEMALE THREAD PL 25-RP3/4"FT-25	0,200	7,12E-01
1047917	UPONOR Q&E TEE REDUCER PL 25-20-20	0,161	5,73E-01
1047932	UPONOR SMART AQUA TAP ELBOW TERM. BOX Q&E SP PL 20-RP1/2"FT	0,165	5,87E-01
1047936	UPONOR SMART AQUA TAP ELBOW LONG Q&E PL 16-RP1/2"FT L=49MM	0,100	3,56E-01
1047937	UPONOR SMART AQUA TAP ELBOW LONG Q&E PL 20-RP1/2"FT L=49MM	0,019	6,76E-02
1047940	UPONOR Q&E ADAPTER FOR SOLDERING PL 20-18CU	0,050	1,78E-01
1047941	UPONOR Q&E ADAPTER FOR SOLDERING PL 20-22CU	0,045	1,60E-01

1047942	UPONOR Q&E ADAPTER FOR SOLDERING PL 25-28CU	0,086	3,06E-01
1059822	UPONOR SMART AQUA TAP ELBOW Q&E PL 16-RP1/2"FT	0,147	5,23E-01
1062845	UPONOR Q&E ADAPTER DR S-PRESS 16-Q&E16	0,030	1,07E-01
1062846	UPONOR Q&E ADAPTER DR S-PRESS 20-Q&E20	0,050	1,78E-01
1062861	UPONOR Q&E ADAPTER DR S-PRESS 25-Q&E25	0,106	3,77E-01
1063732	UPONOR Q&E ADAPTER MALE THREAD DR 16-R1/2"MT	0,053	1,89E-01
1063734	UPONOR Q&E ADAPTER MALE THREAD DR 20-R1/2"MT	0,060	2,14E-01
1063735	UPONOR Q&E ADAPTER MALE THREAD DR 20-R3/4"MT	0,095	3,38E-01
1063736	UPONOR Q&E ADAPTER MALE THREAD DR 25-R3/4"MT	0,107	3,81E-01
1063738	UPONOR Q&E ADAPTER FEMALE THREAD DR 16-RP1/2"FT	0,076	2,71E-01
1063739	UPONOR Q&E ADAPTER FEMALE THREAD DR 20-RP1/2"FT	0,079	2,81E-01
1063740	UPONOR Q&E ADAPTER FEMALE THREAD DR 20-RP3/4"FT	0,100	3,56E-01
1063743	UPONOR Q&E ADAPTER SWIVEL NUT DR 16-G1/2"SN	0,046	1,64E-01
1063744	UPONOR Q&E ADAPTER SWIVEL NUT DR 20-G1/2"SN	0,044	1,57E-01
1063745	UPONOR Q&E ADAPTER SWIVEL NUT DR 20-G3/4"SN	0,067	2,39E-01
1063750	UPONOR Q&E ELBOW ADAPTER MALE THREAD DR 20-G3/4"MT	0,109	3,88E-01
1063752	UPONOR Q&E ELBOW ADAPTER FEMALE THREAD DR 16-G1/2"FT	0,062	2,21E-01
1063753	UPONOR Q&E ELBOW ADAPTER FEMALE THREAD DR 20-G1/2"FT	0,082	2,92E-01
1063754	UPONOR Q&E ELBOW ADAPTER FEMALE THREAD DR 20-G3/4"FT	0,128	4,56E-01
1063755	UPONOR Q&E ELBOW ADAPTER FEMALE THREAD DR 25-G3/4"FT	0,129	4,59E-01
1063806	UPONOR Q&E ADAPTER MALE THREAD DR 32-R1"MT	0,168	5,98E-01
1063860	UPONOR SMART AQUA TAP ELBOW TERM. BOX Q&E SP DR 20-RP1/2"FT	0,167	5,95E-01
1063871	UPONOR SMART AQUA TAP ELBOW Q&E DR M 16-1/2"	0,140	4,98E-01
1063928	UPONOR Q&E TEE ADAPTER S-PRESS 40-Q&E14-PRESS40	0,430	1,53E+00
1063932	UPONOR Q&E TEE 20-14-20	0,110	3,92E-01
1063938	UPONOR Q&E TEE ADAPTER S-PRESS 20-Q&E9,9-PRESS20	0,090	3,20E-01
1063939	UPONOR Q&E ADAPTER S-PRESS 20-Q&E9,9	0,039	1,39E-01
1118974	UPONOR Q&E ADAPTER MALE THREAD DR 16-G3/8"MT	0,034	1,21E-01

ANNEX 2: CONVERSION TABLE FOR PRODUCT STAGE (A1-A3) GWP – EN 15804+A1, CML/ISO 21930

Product Number	Product Description	Unit Product Weight (kg/pce)	GWP – total, Stages A1-A3 (kg CO2e/pce)
1008730	UPONOR Q&E ADAPTER MALE THREAD PL W 32-G1"MT	0,156	5,49E-01
1008732	UPONOR Q&E ADAPTER MALE THREAD PL W 40-G1 1/4"MT	0,302	1,06E+00
1008734	UPONOR Q&E ADAPTER DR 16-15CU L=16MM	0,027	9,50E-02
1008867	UPONOR Q&E ADAPTER MALE THREAD PL W 63-G2"MT	0,660	2,32E+00
1023003	UPONOR Q&E ADAPTER MALE THREAD PL 16-R1/2"MT	0,052	1,83E-01
1023005	UPONOR Q&E ADAPTER MALE THREAD PL 20-R1/2"MT	0,060	2,11E-01
1023006	UPONOR Q&E ADAPTER MALE THREAD PL 20-R3/4"MT	0,090	3,17E-01
1023007	UPONOR Q&E ADAPTER MALE THREAD PL 25-R3/4"MT	0,100	3,52E-01
1023009	UPONOR Q&E ADAPTER FEMALE THREAD PL 16-RP1/2"FT	0,074	2,60E-01
1023010	UPONOR Q&E ADAPTER FEMALE THREAD PL 20-RP1/2"FT	0,080	2,82E-01
1023011	UPONOR Q&E ADAPTER FEMALE THREAD PL 20-RP3/4"FT	0,098	3,45E-01
1023012	UPONOR Q&E ADAPTER FEMALE THREAD PL 25-RP3/4"FT	0,115	4,05E-01
1023013	UPONOR Q&E ADAPTER FEMALE THREAD PL 25-RP1"FT	0,186	6,55E-01
1023014	UPONOR Q&E ADAPTER SWIVEL NUT PL 16-G1/2"SN	0,045	1,58E-01
1023015	UPONOR Q&E ADAPTER SWIVEL NUT PL 20-G1/2"SN	0,063	2,22E-01
1023016	UPONOR Q&E ADAPTER SWIVEL NUT PL 20-G3/4"SN	0,070	2,46E-01
1023017	UPONOR Q&E ADAPTER SWIVEL NUT PL 25-G3/4"SN	0,093	3,27E-01
1023018	UPONOR Q&E ADAPTER SWIVEL NUT PL 25-G1"SN	0,126	4,44E-01
1023019	UPONOR Q&E ELBOW ADAPTER MALE THREAD PL 16-G1/2"MT	0,032	1,13E-01
1023020	UPONOR Q&E ELBOW ADAPTER MALE THREAD PL 20-G1/2"MT	0,063	2,22E-01
1023021	UPONOR Q&E ELBOW ADAPTER MALE THREAD PL 20-G3/4"MT	0,108	3,80E-01
1023022	UPONOR Q&E ELBOW ADAPTER MALE THREAD PL 25-G3/4"MT	0,120	4,22E-01
1023023	UPONOR Q&E ELBOW ADAPTER FEMALE THREAD PL 16-G1/2"FT	0,061	2,15E-01
1023024	UPONOR Q&E ELBOW ADAPTER FEMALE THREAD PL 20-G1/2"FT	0,081	2,85E-01
1023025	UPONOR Q&E ELBOW ADAPTER FEMALE THREAD PL 20-G3/4"FT	0,128	4,51E-01
1023026	UPONOR Q&E ELBOW ADAPTER FEMALE THREAD PL 25-G3/4"FT	0,128	4,51E-01
1023034	UPONOR SMART AQUA TAP ELBOW Q&E PL 16-RP1/2"FT L=43MM	0,102	3,59E-01
1023035	UPONOR SMART AQUA TAP ELBOW Q&E PL 20-RP1/2"FT L=43MM	0,105	3,70E-01
1023040	UPONOR Q&E ADAPTER FOR SOLDERING PL 16-15CU	0,027	9,50E-02
1023042	UPONOR Q&E ADAPTER FOR SOLDERING PL 25-22CU	0,067	2,36E-01
1023045	UPONOR SMART RADI ELBOW ADAPTER PLATED Q&E 16-15CU L=300MM	0,150	5,28E-01
1025765	UPONOR Q&E ADAPTER SWIVEL NUT, PLATED NKB DR 15-1/2"SN	0,047	1,65E-01
1025770	UPONOR Q&E ELBOW ADAPTER SWIVEL, PLATED NKB DR 15-3/4"SN	0,076	2,68E-01
1025829	UPONOR Q&E ADAPTER MALE THREAD NKB DR 15-G1/2"MT	0,040	1,41E-01

1025830	UPONOR Q&E ADAPTER MALE THREAD NKB DR 18-G1/2"MT	0,044	1,55E-01
1025832	UPONOR Q&E ADAPTER MALE THREAD NKB DR 22-G3/4"MT	0,081	2,85E-01
1025837	UPONOR Q&E ADAPTER FEMALE THREAD NKB DR 15-1/2"FT	0,077	2,71E-01
1025840	UPONOR Q&E ADAPTER FEMALE THREAD NKB DR 22-3/4"FT	0,100	3,52E-01
1025881	UPONOR AQUA PLUS MANIFOLD ADAPTER O-RING Q&E E NKB DR 18-3/8"MT	0,035	1,23E-01
1025882	UPONOR Q&E COUPLING NKB DR 15-15	0,030	1,06E-01
1025936	UPONOR Q&E ELBOW ADAPTER SWIVEL NUT NKB DR 22-3/4"SN	0,120	4,22E-01
1025967	UPONOR Q&E TEE NKB DR 15-15-15	0,049	1,72E-01
1033435	UPONOR Q&E ADAPTER MALE THREAD PL 16-G1/2"MT	0,038	1,34E-01
1033437	UPONOR Q&E ADAPTER MALE THREAD PL 20-G1/2"MT	0,049	1,72E-01
1033438	UPONOR Q&E ADAPTER MALE THREAD PL 20-G3/4"MT	0,076	2,68E-01
1046279	UPONOR Q&E MANIFOLD MALE SW, VALVE DR 3/4"MT/SN 3X16 C/C35MM	0,440	1,55E+00
1047191	UPONOR Q&E ADAPTER MALE THREAD PL 32-R1"MT	0,170	5,98E-01
1047193	UPONOR Q&E COUPLING PL 16-16	0,028	9,86E-02
1047194	UPONOR Q&E COUPLING PL 20-20	0,050	1,76E-01
1047195	UPONOR Q&E COUPLING PL 25-25	0,090	3,17E-01
1047197	UPONOR Q&E ELBOW PL 16-16	0,040	1,41E-01
1047198	UPONOR Q&E ELBOW PL 20-20	0,082	2,89E-01
1047199	UPONOR Q&E ELBOW PL 25-25	0,138	4,86E-01
1047212	UPONOR Q&E TEE PL 16-16-16	0,062	2,18E-01
1047213	UPONOR Q&E TEE PL 20-20-20	0,108	3,80E-01
1047215	UPONOR Q&E TEE REDUCER PL 20-16-20	0,084	2,96E-01
1047217	UPONOR Q&E TEE REDUCER PL 25-20-25	0,180	6,34E-01
1047862	UPONOR Q&E ADAPTER MALE THREAD PL 25-G3/4"MT	0,090	3,17E-01
1047863	UPONOR Q&E ADAPTER MALE THREAD PL 25-G1"MT	0,111	3,91E-01
1047864	UPONOR Q&E ADAPTER MALE THREAD PL 50-G1 1/2"MT	0,519	1,83E+00
1047866	UPONOR Q&E ADAPTER FEMALE THREAD PL 32-G1"FT	0,184	6,48E-01
1047879	UPONOR Q&E ELBOW ADAPTER SWIVEL NUT PL 16-G1/2"SN	0,076	2,68E-01
1047880	UPONOR Q&E ELBOW ADAPTER SWIVEL NUT PL 20-G1/2"SN	0,083	2,92E-01
1047881	UPONOR Q&E ELBOW ADAPTER SWIVEL NUT PL 20-G3/4"SN	0,149	5,24E-01
1047882	UPONOR Q&E ELBOW ADAPTER SWIVEL NUT PL 25-G3/4"SN	0,136	4,79E-01
1047885	UPONOR Q&E TEE ADAPTER FEMALE THREAD PL 16-RP1/2"FT-16	0,080	2,82E-01
1047886	UPONOR Q&E TEE ADAPTER FEMALE THREAD PL 20-RP1/2"FT-20	0,112	3,94E-01
1047888	UPONOR Q&E TEE ADAPTER FEMALE THREAD PL 25-RP3/4"FT-25	0,200	7,04E-01
1047917	UPONOR Q&E TEE REDUCER PL 25-20-20	0,161	5,67E-01
1047932	UPONOR SMART AQUA TAP ELBOW TERM. BOX Q&E SP PL 20-RP1/2"FT	0,165	5,81E-01
1047936	UPONOR SMART AQUA TAP ELBOW LONG Q&E PL 16-RP1/2"FT L=49MM	0,100	3,52E-01
1047937	UPONOR SMART AQUA TAP ELBOW LONG Q&E PL 20-RP1/2"FT L=49MM	0,019	6,69E-02
1047940	UPONOR Q&E ADAPTER FOR SOLDERING PL 20-18CU	0,050	1,76E-01
1047941	UPONOR Q&E ADAPTER FOR SOLDERING PL 20-22CU	0,045	1,58E-01

1047942	UPONOR Q&E ADAPTER FOR SOLDERING PL 25-28CU	0,086	3,03E-01
1059822	UPONOR SMART AQUA TAP ELBOW Q&E PL 16-RP1/2"FT	0,147	5,17E-01
1062845	UPONOR Q&E ADAPTER DR S-PRESS 16-Q&E16	0,030	1,06E-01
1062846	UPONOR Q&E ADAPTER DR S-PRESS 20-Q&E20	0,050	1,76E-01
1062861	UPONOR Q&E ADAPTER DR S-PRESS 25-Q&E25	0,106	3,73E-01
1063732	UPONOR Q&E ADAPTER MALE THREAD DR 16-R1/2"MT	0,053	1,87E-01
1063734	UPONOR Q&E ADAPTER MALE THREAD DR 20-R1/2"MT	0,060	2,11E-01
1063735	UPONOR Q&E ADAPTER MALE THREAD DR 20-R3/4"MT	0,095	3,34E-01
1063736	UPONOR Q&E ADAPTER MALE THREAD DR 25-R3/4"MT	0,107	3,77E-01
1063738	UPONOR Q&E ADAPTER FEMALE THREAD DR 16-RP1/2"FT	0,076	2,68E-01
1063739	UPONOR Q&E ADAPTER FEMALE THREAD DR 20-RP1/2"FT	0,079	2,78E-01
1063740	UPONOR Q&E ADAPTER FEMALE THREAD DR 20-RP3/4"FT	0,100	3,52E-01
1063743	UPONOR Q&E ADAPTER SWIVEL NUT DR 16-G1/2"SN	0,046	1,62E-01
1063744	UPONOR Q&E ADAPTER SWIVEL NUT DR 20-G1/2"SN	0,044	1,55E-01
1063745	UPONOR Q&E ADAPTER SWIVEL NUT DR 20-G3/4"SN	0,067	2,36E-01
1063750	UPONOR Q&E ELBOW ADAPTER MALE THREAD DR 20-G3/4"MT	0,109	3,84E-01
1063752	UPONOR Q&E ELBOW ADAPTER FEMALE THREAD DR 16-G1/2"FT	0,062	2,18E-01
1063753	UPONOR Q&E ELBOW ADAPTER FEMALE THREAD DR 20-G1/2"FT	0,082	2,89E-01
1063754	UPONOR Q&E ELBOW ADAPTER FEMALE THREAD DR 20-G3/4"FT	0,128	4,51E-01
1063755	UPONOR Q&E ELBOW ADAPTER FEMALE THREAD DR 25-G3/4"FT	0,129	4,54E-01
1063806	UPONOR Q&E ADAPTER MALE THREAD DR 32-R1"MT	0,168	5,91E-01
1063860	UPONOR SMART AQUA TAP ELBOW TERM. BOX Q&E SP DR 20-RP1/2"FT	0,167	5,88E-01
1063871	UPONOR SMART AQUA TAP ELBOW Q&E DR M 16-1/2"	0,140	4,93E-01
1063928	UPONOR Q&E TEE ADAPTER S-PRESS 40-Q&E14-PRESS40	0,430	1,51E+00
1063932	UPONOR Q&E TEE 20-14-20	0,110	3,87E-01
1063938	UPONOR Q&E TEE ADAPTER S-PRESS 20-Q&E9,9-PRESS20	0,090	3,17E-01
1063939	UPONOR Q&E ADAPTER S-PRESS 20-Q&E9,9	0,039	1,37E-01
1118974	UPONOR Q&E ADAPTER MALE THREAD DR 16-G3/8"MT	0,034	1,20E-01