

GF Silenta Premium elbow 30° 58mm

1146275

- Light gray, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta Premium elbow 30°

Specification


- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta Premium elbow 30° 58mm

1146275



Status

Item Available From date

2026-02-01

Product code

Item no EAN 8698652133294

Item no GF 4501105830121

Item no GTIN 08698652133294

Item no VVS 186834012

Dimensions

Item Unit Height 136

Item Unit Length 77

Item Unit Weight 0,226

Item Unit Width 92

Item_UOM pce

Packaging

Packaging GTIN PL1 06414900600873

Packaging GTIN PL2 06414900198967

Packaging GTIN PL3 06414900341028

Packaging GTIN PL4 06414900213998

Packaging Height PL1 136

Packaging Height PL2 92

Packaging Height PL3 360

Packaging Height PL4 1200

Packaging Length PL1 77

Packaging Length PL2 308

Packaging Length PL3 390

Packaging Length PL4 1200

Packaging Quantity PL1 1

Packaging Quantity PL2 4

Packaging Quantity PL3	40
Packaging Quantity PL4	960
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000963424
Packaging Volume PL2	0,002606912
Packaging Volume PL3	0,040716
Packaging Volume PL4	1,152
Packaging Weight PL1	0,226
Packaging Weight PL2	0,904
Packaging Weight PL3	9,04
Packaging Weight PL4	241,96
Packaging Width PL1	92
Packaging Width PL2	92
Packaging Width PL3	290
Packaging Width PL4	800

Measurements

Z Measurement e	4,1
-----------------	-----

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com