


GF Silenta 3A reducer eccentric 50-32mm

1146712

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A reducer eccentric

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A reducer eccentric 50-32mm

1146712



Measurements

Inner_diameter_di	32
LENGTH_L	100,2
Wall thickness_s	16
Z Measurement d	50
Z Measurement d1	32
Z Measurement e	1,8
Z Measurement L1	41,6

Status

Item Available From date	2026-02-01
--------------------------	------------

Product code

Item no EAN	8698652136899
Item no GF	4704405000021
Item no GTIN	08698652136899
Item no NOBB	60823873
Item no NRF	1486204
Item no RSK	2832176

Dimensions

Item Unit Height	111
Item Unit Length	55
Item Unit Weight	0,04
Item Unit Width	55
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900601511
Packaging GTIN PL2	06414900612920
Packaging GTIN PL4	06414900612937
Packaging Height PL1	111

Packaging Height PL2	400
Packaging Height PL4	944
Packaging Length PL1	55
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	500
Packaging Quantity PL4	2000
Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000335775
Packaging Volume PL2	0,192
Packaging Volume PL4	0,90624
Packaging Weight PL1	0,04
Packaging Weight PL2	21,56
Packaging Weight PL4	111,24
Packaging Width PL1	55
Packaging Width PL2	600
Packaging Width PL4	800

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com